



North West London
Integrated Care System

Working together for better health and care

INFECTION PREVENTION AND CONTROL AUDIT REPORT AND ACTION PLAN

Practice Name: St Margarets Medical Practice - E85007

Practice Code: E85007

GP Introduction

Introduction

The Health and Social Care Act (2008): code of practice on the prevention and control of infections and related guidance (revised 2015) outlines the role of infection prevention (including cleanliness) and optimising antimicrobial use and reducing antimicrobial resistance. This applies to NHS bodies and providers of independent healthcare and adult social care in England, including primary dental care, independent sector ambulance providers and primary medical care providers.

Effective prevention of infection must be part of everyday practice and be applied consistently by everyone. It is also a component of good antibiotic stewardship as preventing infections helps to reduce the need for antimicrobials. Good management and organisational processes are also crucial to ensure that high standards of infection prevention and control (including cleanliness) are set up and maintained Care Quality Commission (CQC) under the Health and Social Care Act 2008 (Regulated Activities) Regulations 2014: Regulation 12 ensures that the care people receive meets essential standards of quality and safety and encourages ongoing improvements by those who provide or commission care.

Providers must assess the risks to people's health and safety during any care or treatment and make sure that staff have the qualifications, competence, skills and experience to keep people safe. Where the responsibility for care and treatment is shared, care planning must be timely to maintain people's health, safety and welfare.

Providers must also ensure that the premises and any equipment used is safe, fit for purpose and where applicable, available in sufficient quantities. Medicines must be supplied in sufficient quantities, managed safely and administered appropriately to make sure people are safe.

Infection Prevention and Control in Primary Care General Practice

In primary care general practice there are a variety of ways where cross infection may be a potential risk, some of them may include:

- Overcrowding.
- Staff health
- Poor hand hygiene.
- Inadequate equipment cleaning / decontamination.
- Sharps management and transmission of blood borne viruses.
- Specimen handling
- Clinical waste segregation and management.
- Environmental cleaning and blood / bodily fluid spillages management.

All of these modes of transmission of infection are either avoidable or the risks can be minimised to low levels if the appropriate standard infection control procedures are followed. These measures include Hand hygiene, equipment management and decontamination, maintaining Aseptic Non-Touch Technique (ANTT), medicine management including cold chain system, environmental cleanliness and spillage management, wastes and sharps management, adhering to the correct usage of Personal Protective Equipment (PPE), staff health and management of infectious diseases. Hand hygiene is the single most effective means of preventing health care associated infections and should be a priority for implementation.

The Audit Process

NHS England London has placed increased emphasis on the use of audit to measure compliance to practice and the implementation of policies and procedures relating to infection control. The review of clinical practice through audit is a well-established means of monitoring and improving the quality of care and of supporting the implementation of change in practice.

As part of the process of ensuring that IPC standards are met, as well as ensuring that the quality of the infection control practice within primary care is of a high standard, NHS England London implements a continuing programme of practice visits, supported by experienced NWL Infection Prevention and control team.

The Audit Tool used is a consistent resource developed by NHS England London in collaboration with London Wide Local Medical Committees and Surrey and Sussex Local Medical Committees and is part of London region's Standard Operating Procedure, adopted by each Primary Care Commissioning Committee. The audit tool consists of several standards of IPC and defines acceptable criteria which minimises the risk of infection to patients, staff and relatives. The tool has recently been revised to take into account changes in standards, legislation and learning, where applicable to general medical practice, together with learning from more than 6 months of piloting and subsequent evaluation of the audit tool.

This new revised audit tool will present improved mechanisms for measuring compliance, identify best practice, and discover risks and vulnerabilities that may not have come to light using the current audit tool.

The audit tool standards and rating system have been updated to:

- More closely align with CQC registration compliance guidance where applicable
- provide clarification in terms of the requirements of primary medical contract holders related to the 'Health & Social Care Act 2008 code of practice on the prevention and control of infections', recognising that compliance with the act is a legal requirement, whereas the code of practice is considered guidance
- provide practices with a clearer understanding of the risks associated with non-compliance with each standard of the audit tool
- assist practices with their own risk assessments
- help practices to assure themselves that they are meeting infection control requirements in relation to CQC

The audit report and its recommendations help to ensure that practices improve their compliance to infection prevention and control in line with the Health & Social Care Act 2008 code of practice on the prevention and control of infections code of practice and other current national guidelines and should serve as a useful reference point.

Therefore it is essential that this report and its recommendations is given due consideration and that the agreed action plan which outlines how the practice plan to address the issues highlighted is completed and returned appropriately as advised.

Contractor Details

| | |
|--|---|
| Practice Name | St Margarets Medical Practice - E85007 |
| Practice Contract Number | E85007 |
| Address | 237 St MArgarets Road, Twickenham TW1 1NE |
| Telephone No | 0208 892 1986 |
| Practice Manager Name | Lisa Anderson |
| Principal GP Contractor | Lisa Anderson |
| Name of IPC Lead for Practice | Anca Radulescu |
| Practice Nurse | Anca Radulescu |
| Accompanying Practice Staff | Lisa Anderson |
| Date audit completed | 2024-07-26 |
| Audit carried out by | St Margarets Medical Practice |
| IUCD Fitting | No |
| Does the practice undertake minor surgery | No Level: None |

Executive Summary

This is the report of infection prevention and control (IPC) audit carried out at St Margarets Medical Practice - E85007 on 2024-07-26. The audit was completed with the assistance of Lisa Anderson.

The practice has 8 consulting rooms and 3 treatment rooms. The practice does not undertake minor surgery. The practice has 4 vaccine fridges.

Findings:

There were one or more areas of non-compliance. Overall the practice showed compliance with standards of IPC Essential Quality Requirements. However, there is one or more actions to be taken to achieve full compliance. The recommendation(s) made can be found in the action plan with time frame for actions to be completed.

No further findings.

Recommendations:

An action plan in this report addresses all areas of non-compliance with agreed timeframe for actions to be completed.

No further recommendations.

Risk assessment:

No risk assessment comments.

Next face-to-face audit: 2025-07-01

NW London Contact Details

| Organisation | Location | Name | Email Address |
|------------------------------|-------------------------------------|---|-------------------------|
| NHS North West London ICB | 15 Marylebone Rd, London NW1 5JD | Georgina Terry Senior IPC Practitioner | georgina.terry2@nhs.net |

Practice Details

| | |
|------------------------------------|--|
| Practice Building | Converted residential Owned |
| No of Consulting Rooms | 8 |
| No of Treatment Rooms | 3 |
| Minor surgery | No None |
| IUCD Fitting | No |
| Vaccine Fridge | Yes Quantity: 4 Location: Room 3, Room 4 Room 5 Room 11 Make & SN: Room 3 fridge Shoreline Model SM280 Serial no J84212, Room 4 Labcold Model RLDF0519 Serial no 19800897_6000281 |
| Cleaners storage facilities | Yes Adequate space |
| Dirty Sluice Room | No |
| Clean Utility Room | No |

IPC ACTION PLAN

| Related question | Issues highlighted | Risk level | Recommendation | Photos | Due date | Assigned to | Completed date | Status |
|--|---|------------|---|--------|------------|-------------|----------------|--------|
| 5. Is flooring in all areas that are accessible to patients in a good state of repair and easy-to-clean? [EQR] | All consulting rooms need carpet removing and vinyl flooring with cap and coving for clinical rooms | low | Replace carpets with vinyl | - | 2025-03-31 | - | 2025-03-17 | Open |
| 6. Are furniture in clinical areas and other areas accessible to patients impermeable / washable / suitable for its use? [EQR] | 12 chairs that need re-upholstering and 1 couch in Room 9 | low | Re-upholstery of chairs and couch | - | 2025-01-31 | - | 2025-03-17 | Open |
| 9. Are all hand wash basins in clinical and consulting rooms free from an overflow? [EQR] | 4 sinks have an overflow | low | To replace the sinks with an overflow to sinks that are compliant with the latest infection control legislation | - | 2025-08-28 | - | 2025-03-17 | Open |
| 13. Is liquid soap dispensed from single use cartridges or bottles? [EQR] | Re-fillable dispenser in the ground floor toilet needs to be replaced | low | Replace dispenser | - | 2024-09-30 | - | 2025-03-17 | Open |
| 9. Are all hand wash basins in clinical and consulting rooms free from an overflow? [EQR] | Rooms 3, 4, and 5 and all 3 toilets have overflows on the sinks | low | To upgrade all sinks with overflow when budget allows | - | 2026-01-31 | - | 2025-03-17 | Open |
| 13. Is liquid soap dispensed from single use cartridges or bottles? [EQR] | Downstairs toilet, liquid soap dispenser needs to be replaced | low | Order new soap dispenser | - | 2024-09-13 | - | 2025-03-17 | Open |
| 3. Are arrangements for specimen testing appropriate in consulting rooms? [EQR] | Carpets to be replaced for vinyl in all consulting rooms in January 2025 | low | Replacement of carpets with Vinyl | - | 2025-01-31 | - | 2025-03-17 | Open |
| 2. Is flooring impervious to liquids, non-slip, intact and clean? [EQR] | Plan to replace all carpets in January 2025 | low | replace all carpets | - | 2025-01-31 | - | 2025-03-17 | Open |
| 3. Does the flooring form a coved skirting OR is the gap between the floor and the skirting sealed and is the seal maintained? [EQR] | Plan to replace carpets and install vinyl with cap and cove | low | Replace carpets | - | 2025-01-31 | - | 2025-03-17 | Open |
| 4. Are walls and ceilings clean, dry and free from visible defects and have smooth easy to clean surfaces? [EQR] | Room 8 needs decorating | low | Decorate room 8 | - | 2024-10-31 | - | 2025-03-17 | Open |
| 2. Have all GP prescribers completed the Antimicrobial Stewardship Self-Assessment Checklist available in TARGET? [EQR] | To Discuss antibiotic stewardship self assessment with Matt Butler Senior Pharmacist to Lead all GPs on this and complete the Target questionnaire collectively | - | To Discuss antibiotic stewardship self assessment with Matt Butler Senior Pharmacist to Lead all GPs on this and complete the Target questionnaire collectively | - | 2024-10-31 | - | 2025-03-17 | Open |

| Related question | Issues highlighted | Risk level | Recommendation | Photos | Due date | Assigned to | Completed date | Status |
|--|---|------------|---|--------|------------|----------------|----------------|--------|
| 11. Does the practice have an identified sepsis lead / link? [E] | Find out NWLondon Sepsis Link Lead | - | To contact Georgina to enquire about who is the Sepsis Lead | - | 2024-10-31 | Georgina Terry | 2025-03-17 | Open |
| 13. Does the practice promote the use of the GRASP Fever Audit tool? [E] | Discuss GRASP fever Audit with Clinicians | - | To discuss with clinicians | - | 2024-10-31 | - | 2025-03-17 | Open |

Overall Compliance

87.5%

Compliance by Standard

General Management

83.3%

Staff Health

75.0%

Environment

71.4%

Hand Hygiene

88.2%

Personal protective equipment

100.0%

Prevention and management of spillages

100.0%

Safe handling and disposal of sharps

100.0%

Waste Management Policy and Procedures

100.0%

Management of Specimens

66.7%

Decontamination of medical devices

100.0%

Clinical Rooms

62.5%

Vaccine Storage and Cold Chain

100.0%

Notification of infectious diseases and contamination

100.0%

Antimicrobial Stewardship (AMS)

71.4%

Minor Surgery rooms

No data yet!

Full Audit Tool

1- Management of IPC - General Management

10 0 2 0

10 / 12 - 83.3%

| Question | Issue | Comment | Attachments | Compliance |
|---|-------|---|-------------|---------------|
| 1. Is there a named clinical lead person in the practice for infection prevention and control? [M] | - | Anca Radulesca | - | Compliant |
| 2. Does the practice have infection prevention and control policies? [M] | - | The infection Prevention Control Policy can be found on Teamnet | - | Compliant |
| 3. Is infection prevention and control included in all staff induction programmes? [M] | - | - | - | Compliant |
| 4. Evidence to show that all clinical and non-clinical staff are up to date with IPC training specific to their roles? [M] | - | All certificates are saved in Teamnet, the cleaners certificate is saved in the Shared Drive in the infection control folder | - | Compliant |
| 5. Is there a process for internally recording/reporting untoward incidents in relation to infection prevention and control ? [M] | - | - | - | Compliant |
| 6.1 Local IPC advice and support as needed [EQR & E] | - | For additional Support with Infection Control queries contact Georgina Terry Infection Control Lead for NWLondon Email: Georgina.terry2@nhs.net | - | Compliant |
| 6.2 Local Hospital Consultant Microbiologists [EQR & E] | - | - | - | Non Compliant |
| 6.3 Public Health England Health Protection teams [EQR & E] | - | Public Health England Health Protection Team contact: South London HPT, 5th Floor, 10 South Colonnade, London E14 4PU Telephone 0300 303 0450 Email: London.region@ukhsa.gov.uk | - | Compliant |
| 6.4 Local anti-microbial Pharmacy Lead [EQR & E] | - | - | - | Non Compliant |
| 7 Does the practice have documentary evidence of IPC audits undertaken, evaluated and with actions taken to improve practice standards? [M] | - | Infection control Audits can be found on Teamnet | - | Compliant |
| 8 Has the Practice carried out a risk assessment for Legionella? [M] | - | - | - | Compliant |
| 9 Does the practice have a written scheme for prevention of Legionella contamination in water pipes and other water lines? [M] | - | - | - | Compliant |

Comments↓↑

Within the risk assessment

2- Management of IPC - Staff Health

3 0 1 0

3 / 4 - 75.0%

| Question | Issue | Comment | Attachments | Compliance |
|--|-------|---|-------------|---------------|
| 1. Have all staff at risk been immunised against hepatitis B? [M] | - | Out of 22 clinical staff, we have 4 that we do not have a record for at the moment. | - | Non Compliant |
| 2. Are all staff routinely advised regarding immunisation against seasonal influenza? [EQR & E] | - | - | - | Compliant |
| 3. Does the practice have access to Occupational Health service or access to appropriate occupational health advice? [M] | - | Occupational Health provider for needlestick injuries for all staff Occupational Health, 7A Woodfield Road, London W9 2NW Phone: 0203 317 3350 Email: cnwl.occupational-health@nhs.net Occupational Health for GP's only https://www.england.nhs.uk/south/2017/05/08new-occupational-health-service/ | - | Compliant |
| 4. Has the issue of immunity to Measles, Rubella and Varicella in clinical staff been considered in the practice and a risk assessment undertaken? [M] | - | - | - | Compliant |

Comments↓↑

We have 4 clinical staff members out of 22 that are due to bring in MMR vaccination proof. We have not asked anyone for Varicella vaccination proof yet. The plan is to check the vaccination records for each of the clinical staff and update the records on Teamnet. Risk assess any outstanding staff.

3- Environment

5 0 2 1

5 / 7 - 71.4%

| Question | Issue | Comment | Attachments | Compliance |
|---|---|---|-------------|---------------|
| 1. Are all areas including clinical areas and equipment visibly clean and free from extraneous items? [M] | - | - | - | Compliant |
| 2. Are there comprehensive written specifications for cleaning the environment and equipment in the practice? [M] | - | - | - | N/A |
| 3. Are there up to date cleaning schedules which includes regular cleaning of clinical, admin and sanitary areas? [M] | - | - | - | Compliant |
| 4. Are walls in all areas in good condition, intact and have smooth easy-to-clean surfaces? [EQR] | - | Room 8 was recently examined during the Infection Control Audit and needs re-decorating. Action Plan to have Room 8 decorated before January 2025 | - | Compliant |
| 5. Is flooring in all areas that are accessible to patients in a good state of repair and easy-to-clean? [EQR] | All consulting rooms need carpet removing and vinyl flooring with cap and coving for clinical rooms | - | - | Non Compliant |
| 6. Are furniture in clinical areas and other areas accessible to patients impermeable / washable / suitable for its use? [EQR] | 12 chairs that need re-upholstering and 1 couch in Room 9 | - | - | Non Compliant |
| 7. Are cleaning equipment and materials for cleaning colour coded, suitable for use and stored appropriately? [EQR] | - | - | - | Compliant |
| 8. Is the area for storing cleaning equipment well ventilated, clean and tidy (no clutter) and is it of an adequate size? [EQR] | - | - | - | Compliant |

Comments↓↑

-

4- Hand Hygiene

15 0 2 0

15 / 17 - 88.2%

| Question | Issue | Comment | Attachments | Compliance |
|--|--|---|-------------|---------------|
| 1. Does the practice has a Hand Hygiene Policy? [M] | - | Within the Infection Control Policy | - | Compliant |
| 2. Is the hand hygiene technique displayed as a laminated poster adjacent to the hand washbasin or is it featured on the soap dispenser? [EQR] | - | - | - | Compliant |
| 3.Does your practice policy demonstrate an awareness of the DH uniform policy? [EQR] | - | Within Infection Control Policy and part of the Hand Hygiene Audit | - | Compliant |
| 4. Are there wash basins dedicated to hand hygiene in each clinical and consulting room which can be easily accessed? [EQR] | - | - | - | Compliant |
| 5. Do all hand wash basins for use in connection with clinical procedures have elbow or wrist operated mixer taps? [EQR] | - | - | - | Compliant |
| 6. Is the hot water thermostatically controlled? [EQR] | - | The hot water heaters in Room 4 and 5 need to be checked by the plumber | - | Compliant |
| 7. Are taps at all clinical hand wash basins free from swan neck type taps? [EQR] | - | - | - | Compliant |
| 8. Are all hand wash basins free from plugs? [EQR] | - | - | - | Compliant |
| 9. Are all hand wash basins in clinical and consulting rooms free from an overflow? [EQR] | 4 sinks have an overflow, Rooms 3, 4, and 5 and all 3 toilets have overflows on the sinks | - | - | Non Compliant |
| 10. Are hand hygiene facilities clean and free from clutter? [EQR] | - | - | - | Compliant |
| 11. Are hand hygiene facilities free from damage? [EQR] | - | - | - | Compliant |
| 12. Is the tap off-set from the waste outlet? [EQR] | - | - | - | Compliant |
| 13. Is liquid soap dispensed from single use cartridges or bottles? [EQR] | Re-fillable dispenser in the ground floor toilet needs to be replaced, Downstairs toilet, liquid soap dispenser needs to be replaced | - | - | Non Compliant |
| 14. Is alcohol-based hand rub available for use when required, including use during domiciliary visit? [EQR] | - | - | - | Compliant |
| 15. Are paper hand towels available? [EQR] | - | - | - | Compliant |
| 16. Are hand wash basins free from nail brushes? [EQR] | - | - | - | Compliant |
| 17. Are there separate arrangements available to dispose of waste materials other than using the hand washbasin? [EQR] | - | - | - | Compliant |

Comments↓↑

yes, toilets

5- Personal Protective Equipment (PPE)

8 0 0 1

8 / 8 - 100.0%

| Question | Issue | Comment | Attachments | Compliance |
|---|-------|---------|-------------|------------|
| 1. Does the practice have a policy on the appropriate use of PPE? [M] | - | - | - | Compliant |
| 2.1 Gloves (sterile/non-sterile) are appropriate for use, i.e, latex & latex free nitrile? [EQR] | - | - | - | Compliant |
| 2.2 Disposable aprons available? [EQR] | - | - | - | Compliant |
| 2.3 Disposable face and eye protection? [EQR] | - | - | - | Compliant |
| 3. Are staff aware of the principles of wearing and disposing of PPE? [EQR] | - | - | - | Compliant |
| 4. Are PPE items worn as single use items? [EQR] | - | - | - | Compliant |
| 5. Where required are aprons and gloves changed between different episodes of care on the same patient? [EQR] | - | - | - | Compliant |
| 6. Are gloves removed and hand hygiene performed after every clinical activity? [EQR] | - | - | - | Compliant |
| 7. Are staff aware on the decontamination process required for re-usable goggles? [EQR] | - | - | - | N/A |

Comments↓↑

single use goggles

6- Prevention and management of spillages

4 0 0 0

4 / 4 - 100.0%

| Question | Issue | Comment | Attachments | Compliance |
|---|-------|--|-------------|------------|
| 1. Does the practice have a policy for managing spillages in healthcare premises? [EQR] | - | Biological Substances - Infection Control policy, can be found on Teamnet and Shared drive | - | Compliant |
| 2. Are all staff aware of the procedure for dealing with spillages of blood or other body fluids? [EQR] | - | - | - | Compliant |
| 3. Are spillage kits available for dealing with spillages of blood/body fluids? [M] | - | - | - | Compliant |
| 4. Are disposable cloths or mop heads available for cleaning blood or other body fluid spillages? [EQR] | - | - | - | Compliant |

Comments↓↑

The spillage kit would be used in the first instance

7- Safe handling and disposal of sharps

10 0 0 1

10 / 10 - 100.0%

| Question | Issue | Comment | Attachments | Compliance |
|---|-------|---|-------------|------------|
| 1. Does the practice have a policy on safe handling & disposal of sharps? [M] | - | To save on Teamnet | - | Compliant |
| 2. Are sharps containers that conform to BS 7320 and UN3291 available in every clinical/consulting area? [M] | - | - | - | Compliant |
| 3. Are sharps containers discarded when two thirds full and stored in a secure facility away from public access until collected for disposal? [EQR] | - | - | - | Compliant |
| 4. Is blood sampling undertaken by using a 'Sharp Safe' single-use vacuum blood collection system? [EQR] | - | - | - | Compliant |
| 5. Is Aseptic Non-Touch Technique (ANTT) used when performing venepuncture? [EQR] | - | - | - | Compliant |
| 6. Sharps used for taking blood from patients at home/care home disposed of in to an appropriate sharps container? [EQR] | - | - | - | N/A |
| 7. Is there evidence that the practice has undertaken a review of sharps management? [EQR] | - | Sharps Policy updated and will be added to Teamnet | - | Compliant |
| 8. Are sharps containers assembled according to manufacturer's instructions? [M] | - | - | - | Compliant |
| 9. Are staff encouraged to wear gloves when undertaking venepuncture? [EQR & E] | - | Venepuncture policy has been updated to reflect this and all staff involved with venepuncture have signed and read the policy. To be saved on Teamnet | - | Compliant |
| 10. Are staff aware of the correct procedure to follow after a needle stick injury, other sharps or blood splash exposure? [M] | - | - | - | Compliant |
| 11. Are posters available which show staff the emergency algorithm to follow in case of a sharp injury and is it up to date? [EQR] | - | - | - | Compliant |

Comments↓↑

-

8- Waste Management Policy and Procedures

9 0 0 0

9 / 9 - 100.0%

| Question | Issue | Comment | Attachments | Compliance |
|--|-------|------------------------|-------------|------------|
| 1. Does the practice have a policy on waste management? [M] | - | To be saved on Teamnet | - | Compliant |
| 2. Is there documentary evidence to show that all clinical waste is disposed of by a registered waste collection company? [M] | - | - | - | Compliant |
| 3. Are records of waste transfer and disposal arrangements kept and stored in accordance with the EPA 1990? [EQR] | - | - | - | Compliant |
| 4. Are there easily accessible and compliant foot-operated & fully enclosed clinical waste bins available in each clinical area? [EQR] | - | - | - | Compliant |
| 5. Is clinical and domestic waste correctly segregated? [EQR] | - | - | - | Compliant |
| 6. Are clinical waste bags marked with the practice code when securing for disposal? [EQR] | - | - | - | Compliant |
| 7. Are waste bags less than 2/3 full and securely tied? [EQR] | - | - | - | Compliant |
| 8. Where clinical waste is not collected directly from clinical areas, is it stored in a separate, secure area for waste? [EQR] | - | - | - | Compliant |
| 9. Are staff encouraged to report all incidents to the designated infection control lead at the practice? [EQR] | - | - | - | Compliant |

Comments↓↑

-

9- Management of Specimens

2 0 1 1

2 / 3 - 66.7%

| Question | Issue | Comment | Attachments | Compliance |
|--|--|---------|-------------|---------------|
| 1. Does the practice have a policy or procedure for specimen handling? [M] | - | - | - | Compliant |
| 2. Where applicable are specimens stored in a dedicated refrigerator (not with food, vaccines or medicines)? [EQR] | - | - | - | N/A |
| 3. Are arrangements for specimen testing appropriate in consulting rooms? [EQR] | Carpets to be replaced for vinyl in all consulting rooms in January 2025 | - | - | Non Compliant |
| 4. Are staff aware of the appropriate way to handle and transport specimens? [EQR & E] | - | - | - | Compliant |

Comments↓↑

Policy available on the shared Drive and will be saved on Teamnet

10- Decontamination of medical devices

6 0 0 1

6 / 6 - 100.0%

| Question | Issue | Comment | Attachments | Compliance |
|---|-------|---------|-------------|------------|
| 1. Does the practice have a policy which outlines the decontamination processes the GP Practices use for all medical devices? [M] | - | - | - | Compliant |
| 2. Does the practice use single use surgical instruments? [EQR] | - | - | - | Compliant |
| 3. Does the practice use an accredited external sterile supply service? [EQR] | - | - | - | N/A |
| 4. Are all medical devices stored appropriately and above floor level to avoid contamination? [EQR] | - | - | - | Compliant |
| 5. Are all items of sterile equipment within their use-by date? [EQR] | - | - | - | Compliant |
| 6. All items of equipment that come into contact with patients cleaned or decontaminated according to guidelines or are disposed of after each use? [M] | - | - | - | Compliant |
| 7. Is there a cleaning schedule/check list maintained for all items requiring cleaning? [EQR] | - | - | - | Compliant |

Comments↓↑

-

11- Clinical Rooms

5 0 3 0

5 / 8 - 62.5%

| Question | Issue | Comment | Attachments | Compliance |
|--|---|--|-------------|---------------|
| 1. Are all clinical rooms and all work surfaces clean and free from extraneous items? [M] | - | - | - | Compliant |
| 2. Is flooring impervious to liquids, non-slip, intact and clean? [EQR] | Plan to replace all carpets in January 2025 | - | - | Non Compliant |
| 3. Does the flooring form a coved skirting OR is the gap between the floor and the skirting sealed and is the seal maintained? [EQR] | Plan to replace carpets and install vinyl with cap and cove | - | - | Non Compliant |
| 4. Are walls and ceilings clean, dry and free from visible defects and have smooth easy to clean surfaces? [EQR] | Room 8 needs decorating | - | - | Non Compliant |
| 5. Is there an examination couch with an intact, impervious cover and single use roller paper available for use? [EQR] | - | Room 9 and 8 couches need to be re-upholstered | - | Compliant |
| 6. Is the examination couch fitted with a paper roll holder? [E] | - | Some beds have the pole missing, but do have a roll of paper available | - | Compliant |
| 7. Are there sufficient work surfaces and dressing trolleys of smooth, impervious and cleanable material? [EQR] | - | - | - | Compliant |
| 8. Are all treatment surfaces in the room cleaned every working day? [EQR] | - | - | - | Compliant |

Comments↓↑

-

12- Vaccine Storage and Cold Chain

14 0 0 0

14 / 14 - 100.0%

| Question | Issue | Comment | Attachments | Compliance |
|---|-------|---|-------------|------------|
| 1. Does the practice have an up to date cold chain policy as per the standards of the Green Book and is this accessible to all staff? [M] | - | - | - | Compliant |
| 2. Is there a designated person/s in the practice responsible for the ordering, delivery and storage of vaccines? [EQR] | - | Anca is the main person with Karen Day being the Deputy | - | Compliant |
| 3. Are vaccines monitored for their expiry dates and the close to expiry stocks clearly labelled? [EQR] | - | Monthly audits and recorded on the fridge | - | Compliant |
| 4. Is the refrigerator specialised for the storage of vaccines? [M] | - | - | - | Compliant |
| 5. Are vaccines correctly stored to allow good air flow within the vaccine refrigerator? [EQR] | - | - | - | Compliant |
| 6. Are there measures in place to prevent the fridge from being turned off? [EQR] | - | - | - | Compliant |
| 7. Is/Are the vaccine fridge/s located in a well-ventilated area? [EQR] | - | - | - | Compliant |
| 8. Is the temperature of the vaccine fridge continually monitored with a min/max thermometer and the temperatures are recorded each working day to ensure vaccines are maintained at 2-8OC? (Min, max and actual fridge temperatures are recorded)? [M] | - | Daily checks are carried out and recorded on Teamnet | - | Compliant |
| 9. Does the practice has a maintenance contract that allows for at least yearly servicing, calibration of the temperature gauge? [EQR] | - | - | - | Compliant |
| 10. Is a second min/max thermometer or Data Logger temperature recording device available and used? [EQR] | - | - | - | Compliant |
| 11. Is the fridge either self-defrosting or is it defrosted monthly or sooner if needed? [EQR] | - | - | - | Compliant |
| 12. Is there a process in place for safe disposal of expired, damaged or surplus vaccines? [EQR] | - | We give these back to the Manufacturer | - | Compliant |
| 13. Does the practice have records of vaccines received? [EQR] | - | - | - | Compliant |
| 14. Is there accessible written guidance on what staff should do in the event of a power cut or a temperature reading outside the required range? [EQR] | - | - | - | Compliant |

Comments↓↑

-

13- Notification of infectious diseases and contamination

4 0 0 2

4 / 4 - 100.0%

| Question | Issue | Comment | Attachments | Compliance |
|---|-------|---|-------------|------------|
| 1. Does the practice have a policy on managing patients with communicable diseases? [M] | - | This can be found within the Infection Control Policy | - | Compliant |
| 2. Does the practice notify all reportable infectious disease on suspicion to the proper officer at the local authority? [M] | - | - | - | Compliant |
| 3. Does the practice have access to notification forms? [EQR] | - | This is the official website:- https://www.gov.uk/government/publications/notifiable-diseases-form-for-registered-medical-practitioners | - | Compliant |
| 4. Does the practice notifying gastro intestinal disease (food poisoning) on suspicion? [EQR] | - | We have not had a case arise yet, however we would inform the appropriate body if needed | - | N/A |
| 5. Does the practice notify Gastro intestinal disease (food poisoning) when stool specimen results are received from the microbiology laboratory? [EQR] | - | We have not had a case arise yet, however we would inform the appropriate body if needed | - | N/A |
| 6. Is the practice aware of the new requirements to notify cases of contamination and other diseases? [EQR] | - | - | - | Compliant |

Comments↓↑

-

14- Antimicrobial Stewardship (AMS)

10 0 4 2

10 / 14 - 71.4%

| Question | Issue | Comment | Attachments | Compliance |
|--|---|--------------------------------|-------------|---------------|
| 1. Are GP prescribers in the practice aware of the TARGET toolkit? [EQR] | - | - | - | Compliant |
| 2. Have all GP prescribers completed the Antimicrobial Stewardship Self-Assessment Checklist available in TARGET? [EQR] | To Discuss antibiotic stewardship self assessment with Matt Butler Senior Pharmacist to Lead all GPs on this and complete the Target questionnaire collectively | - | - | Non Compliant |
| 2.1 Give number of GP prescribers using the self-assessment checklist against those who do not [EQR] | - | - | - | N/A |
| 3. Is the document "Antimicrobial prescribing and stewardship competencies" available and/or has it been read by prescribers in the practice? [EQR] | - | We have local guidance on this | - | Compliant |
| 3.1 Give number of prescribers who are aware of this document against those who are not [EQR] | - | - | - | N/A |
| 4. Are all the prescribers in the Practice aware of the Public Health England AMR local indicators? [EQR] | - | - | - | Compliant |
| 5. Is the practice aware of how they may access their antibiotic prescribing data online? [EQR] | - | - | - | Compliant |
| 6. Are all prescribers in the practice aware of the NICE guidelines on AMS [EQR] | - | - | - | Compliant |
| 7. Do all prescribers give information to their service users of how they should correctly use antimicrobial medicines and the dangers associated with their overuse and misuse? [EQR] | - | - | - | Compliant |
| 8. Are all prescribers aware of the UK's 5-year Antimicrobial Resistance Strategy? [E] | - | - | - | Compliant |
| 9. Does the practice actively participates in the European Antibiotic Awareness Day/Week (EEAD) held in November each year? [E] | - | - | - | Non Compliant |
| 10. Are all clinical staff in the Practice aware of the PHE Antibiotic Guardian campaign? [E] | - | - | - | Compliant |
| 11. Does the practice have an identified sepsis lead / link? [E] | Find out NWLondon Sepsis Link Lead | - | - | Non Compliant |
| 12. Are clinicians/GPs aware of and/or have received training in identifying sepsis? [EQR] | - | - | - | Compliant |
| 13. Does the practice promote the use of the GRASP Fever Audit tool? [E] | Discuss GRASP fever Audit with Clinicians | - | - | Non Compliant |
| 14. Does the practice make use of the National Early Warning Signs (NEWS) tool and the Paediatric Early Warning Signs (PEWS) tool? [EQR] | - | - | - | Compliant |

Comments↓↑

-

15- Minor Surgery rooms (for Level 2&3 minor surgery)

0 0 0 24

0 / 0 --

| Question | Issue | Comment | Attachments | Compliance |
|---|-------|---------|-------------|------------|
| 1. Is there is a dedicated room for minor surgery or is the clinical room of sufficient standard for undertaking level 2 minor surgery? [M] | - | - | - | - |
| 2. Are all sterile packs and other equipment stored appropriately and is there adequate storage space? [M] | - | - | - | - |
| 3. Is the practice using disposable single use instruments, supplied by a recognised manufacturer of sterile disposable instruments? [M] | - | - | - | - |
| 4. Where applicable, is an accredited external sterile supply service used for re-usable surgical instrument that need to be sterile at the point of use? [M] | - | - | - | - |
| 5. Is the minor surgery room clean and free from extraneous items? [M] | - | - | - | - |
| 6. Are walls in good condition, intact and have smooth easy-to-clean surfaces? [M] | - | - | - | - |
| 7. Is flooring impermeable, intact and have continuous edging covered up the walls? [M] | - | - | - | - |
| 8. Are ceilings intact and free from visible cracks or visible defects? [M] | - | - | - | - |
| 9. Are ceiling lights protected / enclosed from potential contamination? [M] | - | - | - | - |
| 10. Does the room have adequate ventilation - natural or mechanical (no desktop fans)? [M] | - | - | - | - |
| 11. Is the heat source and pipe work in the room enclosed to prevent accumulation of dust and dirt? [M] | - | - | - | - |
| 12. Is the treatment couch intact and is protected with disposable paper towel that is changed after each patient? [M] | - | - | - | - |
| 13. Are all work surfaces intact, smooth, and impervious easy to clean and are able to withstand cleaning with chemical disinfectants? [M] | - | - | - | - |
| 14. Are all wall cabinets intact with doors? [EQR] | - | - | - | - |
| 15. Does the clinical hand wash basin conforms to current recommended guidance (HTM 00-10; HBN 00-09)? [M] | - | - | - | - |
| 16. Are there wall mounted dispensers for liquid soap and is the liquid soap dispensed via non-refillable cartridges? [M] | - | - | - | - |
| 17. Are there wall mounted dispensers with good quality disposable paper hand towels? [M] | - | - | - | - |
| 18. Is the clinical hand wash basin free from re-usable nail brushes? [M] | - | - | - | - |
| 19. Are single use sterile and non-sterile gloves available in latex and non-latex nitrile material? [M] | - | - | - | - |
| 20. Is there is a designated stainless steel trolley available for use in this room only? [M] | - | - | - | - |
| 21. Is there a clean clinical waste bin with a foot pedal with waste bag fully enclosed and is it in good operating condition? [M] | - | - | - | - |
| 22. Do all staff use recommended PPE when splashing of body fluids is anticipated? [M] | - | - | - | - |
| 23. Are disposable sterile drapes available and used for level 2 and level 3 minor surgeries? [M] | - | - | - | - |
| 24. Does the GP Practice audit post-operative wound infections and are records kept? [M] | - | - | - | - |

Comments↓↑

-

APPENDIX

Key - Infection Prevention & Control Questionnaire

- **Mandatory [M]:** either required on a statutory and/or contractual basis and aims to align with relevant CQC requirements that result in CQC reports specifying that a practice 'must do...'
- **An Essential Quality Recommendation [EQR]:** the minimum expected standards for compliance as detailed in the Health and Social Care Act 2008 (Hygiene Code). EQRs will typically align with relevant CQC requirements that result in CQC reports specifying a practice 'should do...'
- **Educational [E]:** these are best practice standards, which align with what practices should 'know about'. Contractors are advised to record that there has been a discussion about these standards within the practice.

Section 1: The Management of Infection Prevention and Control (General Management)

Standard: Infection prevention and control is managed effectively and complies with the Health and Social Care Act 2008: Code of practice on the prevention and control of infection and related guidance (July 2015)

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|---|--|--|--|-----|
| 1 | Is there a named clinical lead person in the practice for infection prevention and control? | <p>M</p> <p>This is a requirement of Criterion 2 of the Health & Social Care Act 2008 (Amended 2015), which states that:</p> <p>The IPC Lead should:</p> <ul style="list-style-type: none"> • be responsible for the organisation's infection prevention (including cleanliness) management and structure and the establishment of a water safety group; • oversee local prevention of infection policies and their implementation; • report directly to the registered provider; • have the authority to challenge inappropriate practice, if appropriate, including antimicrobial prescribing practice; • have the authority to set and challenge standards of cleanliness; • assess the impact of all existing and new policies on infections and make recommendations for change; • be an integral member of the organisation's governance, water safety group, and safety teams and structures where they exist; and • produce an annual statement with regard to compliance with practice on infection prevention and cleanliness and make it available on request. | Moderate | To ensure that there is a named clinical lead person in the practice for infection prevention and control. | 1 |
| 2 | Does the practice have infection prevention and control policies? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p>9.- A registered provider should, in relation to preventing, reducing and controlling the risks of infections, have in place the appropriate policies concerning the matters mentioned in a) to y) below. All policies should be clearly marked with a review date and the review date adhered to.</p> <p>9. - Any registered provider should have policies in place relevant to the regulated activity it provides. Each policy should indicate ownership (i.e. who commissioned and retains managerial responsibility), authorship and by whom the policy will be applied. Implementation of policies should be monitored and there should be evidence of a rolling programme of audit and a date for revision stated.</p> | <p>Moderate</p> <p>It is a requirement of the Health and Social Care Act 2008 (Amended 2015) Criterion 9 that practices have and adhere to policies designed for the individual care and provider organisations that will help to prevent and control infections.</p> | To ensure that the practice have up to date infection prevention and control policies. | 2 |
| 3 | Is infection prevention and control included in all staff induction programmes? | <p>M</p> <p>The Health and Social Care Act 2008 (Amended 2015) Criterion 6, section 6.2 states that 'Infection prevention would need to be included in the job descriptions and be included in the induction programme and staff updates of all employees (including volunteers)'.</p> | Moderate | To ensure infection prevention and control included in all staff induction programmes. | 3 |

| | | | | | |
|-----|--|---|---|---|---|
| 4 | Does the practice have evidence to show that all clinical and non-clinical staff (including cleaning staff) are up to date with infection prevention and control training specific to their roles? | <p>M</p> <p>Criterion 6 of The Health and Social Care Act 2008 (Amended 2015) requires providers to have systems to ensure that all care workers (including contractors and volunteers) are aware of and discharge their responsibilities in the process of preventing and controlling infection.</p> | <p>Moderate</p> <p>Criterion 6 of The Health and Social Care Act 2008 (Amended 2015) requires providers to have systems to ensure that all care workers (including contractors and volunteers) are aware of and discharge their responsibilities in the process of preventing and controlling infection.</p> | To ensure the practice have evidence to show that all clinical and non-clinical staff (including cleaning staff) are up to date with infection prevention and control training specific to their roles. | 4 |
| 5 | Is there a process for internally recording/reporting untoward incidents in relation to infection prevention and control (e.g. sharps and body fluid splashes)? | <p>M</p> <p>Under 'Health and Safety (Sharp Instruments in Healthcare) Regulations 2013 Guidance for employers and employees'</p> <p>Recording and investigating the incident – regulation 7(1)</p> <p>Employers must make a record of the sharps injury when they are notified of it, whoever provides that notification. They must investigate the circumstances and causes of the incident and take any action required. The injured person is required to provide sufficient information to their employer to allow them to carry out this investigation.</p> <p>The record of the injury should include who was injured, and when and where the incident occurred. If possible, the summary record should contain sufficient detail to identify what type of sharp was involved, at what stage of a procedure or post-procedure/disposal of the sharp the injury occurred, and the severity of the injury. If the employer has an existing accident book or other recording system, it will be appropriate to use this for the record of sharps injuries.</p> <p>Under the EH 40/2005 Workplace Exposure Limit, it is required that those responsible for controlling exposure to hazardous substances at work are not breaching the Health and Safety at Work Act 1974.</p> | <p>Moderate - High</p> <p>Under the EH 40/2005 Workplace Exposure Limit, it is required that those responsible for controlling exposure to hazardous substances at work are not breaching the Health and Safety at Work Act 1974.</p> | To ensure there is a process for internally recording/reporting untoward incidents in relation to infection prevention and control. | 5 |
| 6 | Does the practice have a recorded process in place that includes access to: | | | | |
| 6.1 | Local IPC advice and support as needed. | EQR & E | Low | Ensuring systems are in place to allow staff to seek expert IPC advice | 6 |
| 6.2 | Local Hospital Consultant Microbiologists. | EQR & E | Low | Ensuring systems are in place to allow staff to seek expert microbiology advice. | |
| 6.3 | Public Health England Health Protection teams | EQR & E | Low | To ensure that systems are in place to allow staff to seek expert public health advice. | |
| 6.4 | Local anti-microbial Pharmacy Lead | EQR & E | Low | To ensure that systems are in place to allow staff to seek expert antimicrobial advice. | |
| 7 | Does the practice have documentary evidence of infection prevention and control audits undertaken, evaluated and with actions taken to improve practice standards? | <p>M</p> <p>Criterion 1 of The Health & Social Care Act 2018 (Amended 2015) requires that providers have 'Systems to manage and monitor the prevention and control of infection. These systems use risk assessments and consider the susceptibility of service users and any risks that their environment and other users may pose to them'.</p> | Moderate | To ensure there is documentary evidence of infection prevention and control audits undertaken, evaluated and with actions taken to improve practice standards. | 2 |

| | | | | | |
|---|---|--|---|--|-------------|
| 8 | Has the Practice carried out a risk assessment for Legionella under the Health & Safety Executives "Legionella" disease – the control of Legionella bacteria in water systems: Approved code of practice & Guidance" (also known as L8) | <p>M</p> <p>Legionella disease – The control of legionella in water system: Approved Code of Practice (ACOP):</p> <p>A suitable and sufficient assessment must be carried out to identify and assess the risk of exposure to legionella bacteria from work activities and water systems on the premises and any precautionary measures needed. The duty-holder is responsible for ensuring the risk assessment is carried out.</p> | <p>Moderate - High.</p> <p>A detailed risk assessment will inform the practice of any areas of non-compliance such as dead legs, dirty water tanks and any remedial actions required to minimise the risk of legionella proliferation. Some groups of patients such as immunocompromised may be at risk of infection from the legionella bacteria.</p> | To ensure the Practice has carried out a risk assessment for Legionella under the Health & Safety Executives "Legionella" disease – the control of Legionella bacteria in water systems: Approved code of practice & Guidance. | 7, 8, 9, 10 |
| 9 | Does the practice have a written scheme for prevention of Legionella contamination in water pipes and other water lines? | <p>M</p> <p>Legionella disease – The control of legionella in water system: Approved Code of Practice (ACOP):</p> <p>A suitable and sufficient assessment must be carried out to identify and assess the risk of exposure to legionella bacteria from work activities and water systems on the premises and any precautionary measures needed. The duty-holder is responsible for ensuring the risk assessment is carried out.</p> | <p>Moderate - High.</p> <p>A detailed risk assessment will inform the practice of any areas of non-compliance such as dead legs, dirty water tanks and any remedial actions required to minimise the risk of legionella proliferation. Some groups of patients such as immunocompromised may be at risk of infection from the legionella bacteria</p> | To ensure the practice have a written scheme for prevention of Legionella contamination in water pipes and other water lines. | 11 |

Section 2: The Management of Infection Prevention and Control (Staff Health)

Standard: Infection prevention and control is managed effectively and complies with the Health and Social Care Act 2008: Code of practice on the prevention and control of infection and related guidance (July 2015)

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|---|--|---|--|-----------|
| 1 | Have all staff at risk been immunised against hepatitis B and have they had their response to vaccination confirmed by serology for anti HBs antibodies? It is recommended that practices keep a copy of the hepatitis B levels. {At risk staff are those who may have direct contact with patient's blood or blood stained body fluids (including cleaning staff)} | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>f. Section F: Prevention of occupational exposure to blood-borne viruses (BBVs) including prevention of sharps injuries</i></p> <p>Measures to avoid exposure to BBV's (hepatitis B and C and HIV) should include:</p> <ul style="list-style-type: none"> • immunisation against hepatitis B, as set out in <i>Immunisation against infectious disease</i>, better known as 'The Green Book' (published by Public Health England); • the wearing of gloves and other protective clothing; • the safe handling and disposal of sharps, including the provision of medical devices that incorporate sharps protection where there are clear indications that they will provide safe systems of working for staff; and • measures to reduce risks during surgical procedures | <p>High</p> <p>Low level of immunity or no immunity to Hepatitis B may place HCWs at risk of cross infection especially in cases of inoculation accidents.</p> | Up to date immunisation status and immunity levels on hepatitis B should be kept at the practice and made available on inspection. | 12, 13 |
| 2 | Are all staff routinely advised regarding immunisation against seasonal influenza? | EQR & E | <p>Moderate</p> <p>Some groups of patients may be at risk of influenza infection which may be transmitted by healthcare workers.</p> | To ensure that clinical staff are encouraged to be immunised against seasonal influenza. | 3, 14, 15 |

| | | | | | |
|---|---|--|----------|--|----|
| 3 | Does the practice have access to Occupational Health service or access to appropriate occupational health advice? (This may include pre-employment checks to ensure appropriate immunisations have been given.) | <p>M</p> <p>Under the Health and Safety Act 1974, the Occupational Health are required to provide advice on health issues relevant to the working environment.</p> <p>The Health & Social Care Act 2008</p> <p>C Criterion 10, Section 10.3 Occupational health services in respect of BBVs should include:</p> <ul style="list-style-type: none"> • having arrangements for identifying and managing healthcare staff infected with hepatitis B or C or HIV and advising about fitness for work and monitoring as necessary, in line with Department of Health guidance; • liaising with the <i>UK Advisory Panel for Healthcare Workers Infected with Blood-borne Viruses</i> when advice is needed on procedures that may be carried out by BBV-infected care workers, or when advice on patient tracing, notification and offer of BBV testing may be needed; • a risk assessment and appropriate referral after accidental occupational exposure to blood and body fluids; and • management of occupational exposure to infection, which may include provision for emergency and out-of-hours treatment, possibly in conjunction with accident and emergency services and on-call infection prevention and control specialists. | Moderate | To ensure that practice staff have access to occupational health service or appropriate occupational health advice. | 16 |
| 4 | Has the issue of immunity to Measles, Rubella and Varicella in clinical staff been considered in the practice and a risk assessment undertaken? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>f. Section F: Prevention of occupational exposure to blood-borne viruses (BBVs) including prevention of sharps injuries</i></p> <p>Measures to avoid exposure to BBV's (hepatitis B and C and HIV) should include:</p> <ul style="list-style-type: none"> • immunisation against hepatitis B, as set out in <i>Immunisation against infectious disease</i>, better known as 'The Green Book' (published by Public Health England); • the wearing of gloves and other protective clothing; • the safe handling and disposal of sharps, including the provision of medical devices that incorporate sharps protection where there are clear indications that they will provide safe systems of working for staff; and • measures to reduce risks during surgical procedures | Moderate | Some groups of patients may be at risk of measles, Rubella and Varicella infection which may be transmitted by healthcare workers. | 14 |

Section 3: Environment

Standard: The environment is designed and managed to minimise reservoirs for microorganisms and reduce the risk of cross-infection to patients, staff and visitors.

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|--|--|--|--|--------|
| 1 | Are all areas including clinical areas and equipment visibly clean and free from extraneous items? | <p>M</p> <p>Criterion 2 of The Health and Social Care Act 2008 (Amended 2015) requires all parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition.</p> | <p>Moderate – High</p> <p>This depends on whether it is a consulting room or treatment room where invasive procedures such as coil fitting is undertaken.</p> | All areas including clinical areas should be visibly clean and free from extraneous items. Clutter allow dust and dirt to settle and may hinder adequate cleaning. To ensure that a thorough cleaning of high level surfaces as well as low level surfaces is undertaken. This type of cleaning should be carried out on a regular basis to minimise dust and dirt accumulation. | 17, 18 |

| | | | | | |
|---|---|--|---|---|-------|
| 2 | Are there comprehensive written specifications for cleaning the environment and equipment in the practice? | M Criterion 2 of The Health and Social Care Act 2008 (Amended 2015) requires providers to maintain a clean and safe environment to maintain patient and staff safety. | Moderate | All health care premises should show adequate level of environmental cleaning in line with the revised Cleaning code. | 18 |
| 3 | Are there up to date cleaning schedules which includes regular cleaning of clinical, admin and sanitary areas (e.g. toilets, fans, air conditioners, high areas, curtains, blinds, toys, computer keyboards, telephones and desks)? | M Criterion 2 of The Health and Social Care Act 2008 (Amended 2015) requires providers to maintain a clean and safe environment to maintain patient and staff safety. | Moderate | Up to date cleaning schedules which includes regular cleaning of clinical, admin and sanitary areas (e.g. toilets, fans, air conditioners, high areas, curtains, blinds, toys, computer keyboards, telephones and desks) should be available and cleaning staff should follow the schedule protocol. | 18 |
| 4 | Are walls in all areas in good condition (no cracked or peeling paintwork), intact and have smooth easy-to-clean surfaces? | EQR | Moderate – High This depends on the condition of the walls. For example walls in a clinical room affected by damp and mould will pose a higher risk of cross infection if the room is being used for certain invasive procedures. | Wall surfaces and splash back in all clinical areas should be smooth without cracks or joints and easy to clean. Splash backs should be smooth finish, seamless and easy to clean. Ceramic tiles are not recommended because of multiple joints which can get damaged in many ways and may harbour harmful micro-organisms. To ensure that the wall surfaces and splash backs are rendered with an impervious and smooth finish. | 19 |
| 5 | Is flooring in all areas that are accessible to patients (including corridors, staircase leading to consulting rooms, consulting rooms in a good state of repair and easy-to-clean? (Carpets are not recommended) | EQR Where carpet flooring is available in consulting rooms, these should be in a good state of repairs and steam cleaned on a regular basis. There should be a plan in place for carpet flooring in all patient associated areas to be replaced at the next practice refurbishment with flooring which are impervious to fluids, seamless and without joints and the edges with the walls should be either sealed or continuous to the walls with a coved edge. Flooring for clinical/ treatment rooms is covered in Section 11 of the audit tool. | Moderate – High This depends on whether invasive procedures such as coil fitting is being undertaken in consulting rooms. | Carpets are not recommended for use in healthcare environment used by patients due to risks of contamination and spillage. Where carpet is available, these should be in a good state of repairs and are steam cleaned on a regular basis. There should be a plan in place for carpet flooring in all patient associated areas to be replaced at the next practice refurbishment with flooring which are impervious to fluids, seamless and without joints and the edges with the walls should be either sealed or continuous to the walls with a coved edge. | 19 |
| 6 | Are furniture (e.g. chairs, couches, pillows etc) in clinical areas and other areas accessible to patients impermeable / washable / suitable for its use? | EQR Furniture such as seating for patient in clinical rooms / waiting areas, should be impervious and easy to clean as well as compatible with detergents and disinfectants. | Moderate HTM 03-01 section 10.21 requires impervious surfaces for easy clean and to avoid the build-up of dust. | Furniture such as seating for patient in clinical rooms / waiting areas, should be impervious and easy to clean as well as compatible with detergents and disinfectants. | 18,19 |
| 7 | Are cleaning equipment and materials for cleaning colour coded, suitable for use and stored appropriately? | EQR | Moderate This is to minimise risks of bacterial growth and multiplication. | Mops and buckets used in the practice should be colour coded (Red, Blue, Green & Yellow) to ensure that the appropriate coloured cleaning equipment is used for defined areas such as clinical areas, kitchen, toilets and general areas. To ensure that the appropriate colour coded mops and buckets are available and used. Furthermore, we recommend that brackets are placed to hold the mops and ensure adequate drying. This will minimise risks of bacterial growth and multiplication. The brackets should be adequately spaced to prevent the mop heads from touching one another which will defeat the purpose of having separate mops. | 17 |
| 8 | Is the area for storing cleaning equipment well ventilated, clean and tidy (no clutter) and is it of an adequate size? | EQR | Moderate Mops and cleaning equipment need to be protected from risk of contamination. A well ventilated cleaning storage area will allow for mop heads to dry. | To ensure that the area for storing cleaning equipment is of an adequate size, well ventilated, clean and tidy. | 17 |

Section 4: Hand Hygiene

Standard: The practice has a clear mechanism to ensure effective implementation of hand hygiene procedures are in place and hand hygiene is practiced at all times to reduce the potential for cross infection between staff, patients, the environment and equipment.

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|---|---|---|---|--------|
| 1 | Does the practice has a Hand Hygiene Policy? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>a. A. Standard infection prevention and control precautions</i></p> <p>Preventing infections reduces the overall need to use antimicrobials and helps to reduce selection pressure for the development of antimicrobial resistance.</p> <ul style="list-style-type: none"> • Policy should be based on evidence-based guidelines, including those on hand hygiene at the point of care and the use of personal protective equipment; • Policy should be easily accessible and be understood by all groups of staff, service users and the public. • Compliance with the policy should be audited • Provisions on regular refresher training, support for patients to clean their hands, and products for staff with occupational dermatitis are among the issues that should be covered in the hand hygiene policy. <p>The NHS Outcome Framework enforces the 'treating and caring for people in a safe environment and protecting them from avoidable harm'</p> | Moderate | To ensure that a hand washing policy is developed. This policy should be made readily available for all staff to refer to as a source of reference. | 2 |
| 2 | Is the hand hygiene technique displayed as a laminated poster adjacent to the hand washbasin or is it featured on the soap dispenser? | EQR | Low This serves as a reminder for staff to use the correct techniques. | To ensure that posters featuring the hand hygiene process are displayed adjacent to hand washbasins. | 20 |
| 3 | Does your practice policy demonstrate an awareness of the DH uniform policy particularly in treatment rooms and minor surgery room? (E.g. bare below the elbows). | <p>EQR</p> <p>https://www.nice.org.uk/news/article/effective-and-practical-measures-to-prevent-infection-outlined-by-nice</p> | Moderate Clinical staff should be free from jewellery, wrist watches, long nails, artificial nails and nail varnish, as these will prevent adequate hand hygiene in clinical environment. | To ensure that clinical staff are free from jewellery, wrist watches, long nails, artificial nails and nail varnish, as these will prevent adequate hand hygiene in clinical environment. | 2, 21 |
| 4 | Are there wash basins dedicated to hand hygiene in each clinical and consulting room which can be easily accessed? | EQR | Moderate To comply with HBN 00-09 requirements. | To ensure that a dedicated hand washing sink is available in each clinical and consulting room. This will encourage hand washing and prevent cross infection. | 22 |
| 5 | Do all hand wash basins for use in connection with clinical procedures have elbow or wrist operated mixer taps? | EQR | Moderate To comply with HBN 00-09 requirements. | To ensure that all clinical hand washing sinks have taps with elbow or wrist lever operated mixer taps. | 18, 22 |
| 6 | Is the hot water thermostatically controlled? | EQR | Moderate To comply with HBN 00-09 requirements. | Hot water for hand washing sinks should be thermostatically in order to prevent scalding during hand washing. | 23 |

| | | | | | |
|----|---|-----|--|---|----|
| 7 | Are taps at all clinical hand wash basins free from swan neck type taps? | EQR | Moderate To comply with HBN 00-09 requirements. | Taps with swan neck faucet are not compliant with current infection control guidance as they do not empty completely. | 19 |
| 8 | Are all hand wash basins free from plugs? | EQR | Moderate To comply with HBN 00-09 requirements. | Clinical hand washing sink should not contain a plug, as sink with plugs could be used for other purposes for example washing of re-usable instruments such as ear syringing equipment. | 22 |
| 9 | Are all hand wash basins in clinical and consulting rooms free an overflow? | EQR | Moderate To comply with HBN 00-09 requirements. | Clinical hand washing sinks with overflow are non-compliant because the tube that connects the overflow to the drain may contain a number of biofilms which may increase risks of hand contamination. | 22 |
| 10 | Are hand hygiene facilities clean and free from clutter (check wash basins, taps, splash-backs, soap and paper-towel dispensers)? | EQR | Moderate To prevent contamination and to adhere to Criterion 2 of The Health & Social Care Act 2008. | Hand washing sinks should be free from clutter and clean so as to prevent contamination and for ease of access to hand hygiene. | 18 |
| 11 | Are hand hygiene facilities free from damage? | EQR | Low To prevent the risks of multiplication of micro-organisms in grooves/ damaged surfaces which are not easily cleaned. | Damage to hand hygiene facilities can prevent proper cleaning and increase the risks of micro-organism settling in. | 19 |
| 12 | Is the tap off-set from the waste outlet? | EQR | Moderate This is a requirement for clinical hand washing sinks as detailed on page 16 of the HBN 00-09. | Taps discharging directly into a drain hole can cause splashing, which could disperse contaminated droplets. The tap outlet flow should not discharge directly into the waste aperture. | 22 |
| 13 | Is liquid soap dispensed from single use cartridges or bottles? (I.e. no bar soap or refillable containers)? | EQR | Low Liquid soap dispensers should be wall-mounted at all wash-hand basins and be designed to be operated without contamination from the user's hands coming into direct contact with the dispensing mechanism. | Refillable cartridges can present a risk to contamination of the whole container | 24 |
| 14 | Is alcohol-based hand rub available for use when required, including use during domiciliary visit? | EQR | Low Guidance from WHO | To promote hand hygiene compliance during home visits. | 20 |
| 15 | Are paper hand towels available? (I.e. no cloth towels in use). | EQR | Moderate As detailed in HBN 00-09. The use of paper towels in rolls should be discouraged; they are difficult to tear off without contaminating the remaining roll. | Fabric towels are a source of cross-contamination and are not recommended in clinical areas. | 20 |
| 16 | Are hand wash basins free from nail brushes? | EQR | Low | Nail brushes can be a source of contamination and are not recommended in Practices | 25 |
| 17 | Are there separate arrangements available to dispose of waste materials (e.g. urine) other than using the hand washbasin? | EQR | Moderate This can be a source of cross contamination. | Waste materials should not be poured down the hand washing sinks but disposed of in a flushable sluice or toilets. | 26 |

Section 5: Personal Protective Equipment (PPE)

Standard: Protective clothing is available/worn for all aspects of care which may involve contact with blood/body fluids or where asepsis is required

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|----------|--|--|---|--|----------------|
| 1 | Does the practice have a policy on the appropriate use of PPE? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>Section f. Prevention of occupational exposure to blood-borne viruses (BBVs) including prevention of sharps injuries</i></p> <p>M Measures to avoid exposure to BBV's (hepatitis B and C and HIV) should include:</p> <ul style="list-style-type: none"> • immunisation against hepatitis B, as set out in <i>Immunisation against infectious disease</i>, better known as 'The Green Book' (published by Public Health England); • the wearing of gloves and other protective clothing; • the safe handling and disposal of sharps, including the provision of medical devices that incorporate sharps protection where there are clear indications that they will provide safe systems of working for staff; and • measures to reduce risks during surgical procedures | Moderate | To ensure that a policy on the appropriate use of PPE is developed. This policy should be made readily available for all staff to refer to as a source of reference. | 2 |
| 2 2.1 | Are the following PPE available for staff? Gloves (sterile/non-sterile) are appropriate for use, i.e. latex & latex free nitrile? <i>Vinyl gloves are not recommended for clinical activities where blood/body fluid may be anticipated.</i> | EQR | Moderate Health and Safety Act 1974 | <p>To ensure that the practice have access to latex and latex free gloves.</p> <p>Alternative to non-latex would be to use Nitrile gloves</p> <p>Vinyl gloves can be used to perform many tasks in the health care environment, but are not appropriate when handling blood, blood-stained fluids, cytotoxic drugs or other high risk substances.</p> <p>The risks are:</p> <ul style="list-style-type: none"> • They have absorbent properties • They are brittle and may tear easily | 27, 28, 29, 30 |
| 2.2 | Disposable aprons available? | EQR | Moderate Health and Safety Act 1974 | To ensure that plastic disposable aprons are available in all clinical areas. | 31 |
| 2.3 | Disposable face and eye protection (to be worn by staff if splashing of blood, body fluids or chemicals is anticipated)? | EQR | Moderate Infection: Prevention and control of healthcare associated infection in primary and community care. (2012) | To prevent risks of contamination /transmission | 31 |
| 3 | Are staff aware of the principles of wearing and disposing of PPE? (i.e. disposable gloves, aprons masks and goggles) | EQR | Moderate Training of staff in the use of PPE to minimise risks of contamination. | To ensure all staff are aware of the risks when donning and doffing of PPE. | 31 |

| | | | | | |
|---|--|-----|---|--|--------|
| 4 | Are PPE items worn as single use items? | EQR | Moderate To minimise risks of cross contamination/transmission. | To ensure that items that are designated as single use are not re-used. | 31, 32 |
| 5 | Where required are aprons and gloves changed between different episodes of care on the same patient? | EQR | Moderate To minimise risks of cross contamination/transmission. | To ensure that aprons and gloves are changed between different episodes of care on the same patient in order to prevent cross infection. | |
| 6 | Are gloves removed and hand hygiene performed after every clinical activity? | EQR | Moderate Compliance with the WHO 5 moments of Hand Hygiene. | To ensure hand hygiene is performed in order to prevent risks of cross infection. | |
| 7 | Are staff aware on the decontamination process required for re-usable goggles (if available)? | EQR | Low | To prevent cross infection. | |

Section 6: Prevention and management of spillages of blood & high risk body fluids

Standard: Equipment appropriate for cleaning blood or other body fluid is available specifically for dealing with such incidents safely.

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|---|---|--|--|-------|
| 1 | Does the practice have a policy for managing spillages in healthcare premises? | EQR | Moderate COSHH regulation/Health and Safety Act 1974 | To ensure that a policy on the management of spillages in healthcare premises is developed. This policy should be made readily available for all staff to refer to as a source of reference. | 4, 33 |
| 2 | Are all staff aware of the procedure for dealing with spillages of blood or other body fluids? | EQR | Moderate COSHH regulation/Health and Safety Act 1974 | To ensure staff are aware of dealing with spillages and body fluids. | 2, 31 |
| 3 | Are spillage kits available for dealing with spillages of blood/body fluids, i.e, separate kits for dealing with blood spillages and a separate kit for dealing with urine/vomit spillages? | M COSHH regulation/Health and Safety Act 1974 requirements. | Moderate COSHH regulation/Health and Safety Act 1974 | To ensure that a spillage kit available for dealing with spillages of blood/body fluids is available. | 34 |
| 4 | Are disposable cloths or mop heads available for cleaning blood or other body fluid spillages? | EQR | Moderate COSHH regulation/Health and Safety Act 1974 | To ensure that disposable cloths or mop heads available for cleaning blood or other body fluid spillages. | 34 |

Section 7: Safe handling and disposal of sharps

Standard: Sharps are managed safely to reduce the risk of inoculation injury.

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|---|---|------------------------|---|------------------------|
| 1 | Does the practice have a policy on safe handling & disposal of sharps? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>Safe handling and disposal of sharps</i></p> <p>Relevant considerations include:</p> <ul style="list-style-type: none"> • risk management and training in the management of mucous membrane exposure and sharps injuries and incidents; • provision of medical devices that incorporate sharps protection mechanisms where there are clear indications that they will provide safe systems of working for staff; • a policy that is easily accessible and understood by all groups of staff; • safe use, secure storage and disposal of sharps; and • auditing of policy compliance | Moderate | To ensure that a policy on safe handling & disposal of sharps is developed. This policy should be made readily available for all staff to refer to as a source of reference. | 2, 35 |
| 2 | Are sharps containers that conform to BS 7320 and UN3291 available in every clinical/consulting area and are they positioned safely; out of reach of vulnerable people? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>Safe handling and disposal of sharps</i></p> <p>Relevant considerations include:</p> <ul style="list-style-type: none"> • risk management and training in the management of mucous membrane exposure and sharps injuries and incidents; • provision of medical devices that incorporate sharps protection mechanisms where there are clear indications that they will provide safe systems of working for staff; • a policy that is easily accessible and understood by all groups of staff; • safe use, secure storage and disposal of sharps; and • auditing of policy compliance | Moderate - High | <p>To ensure that all sharps containers are properly assembled and appropriately labelled with a name and date both on assembly and disposal.</p> <p>All sharps containers should be positioned safely, that is, above waste level and below shoulder level to minimise risks of accidental injuries.</p> | 36 |
| 3 | Are sharps containers discarded when two thirds full and stored in a secure facility away from public access until collected for disposal? | EQR | Moderate | To ensure that used sharps are stored securely so as they cannot be accessed by unauthorised person. | 35 |
| 4 | Is blood sampling undertaken by using a 'Sharp Safe' single-use vacuum blood collection system? | EQR | Moderate | To ensure staff are safe from needle-stick injury. | 37, 38, 39, 40, 41, 44 |
| 5 | Is Aseptic Non-Touch Technique (ANTT) used when performing venepuncture? | EQR | Moderate | To prevent contamination of the venepuncture site. | 42, 43 |
| 6 | Are sharps used for taking blood from patients at home/care home disposed of in to an appropriate sharps container which is returned to the surgery for safe disposal? | EQR | Moderate | To ensure that used sharps are disposed of in appropriate sharps containers in order to prevent accidental injuries. | 35 |

| | | | | | |
|----|---|---|--|--|--------|
| 7 | Is there evidence that the practice has undertaken a review of sharps management within the practice and employed 'safer sharps' techniques where applicable? | EQR | <p>Moderate</p> <p>Health and Safety (Sharp Instruments in Healthcare) Regulations 2013</p> <p>Guidance for employers and employees:</p> <p>Use safer sharps (incorporating protection mechanisms) – regulation 5(1)(b)</p> <p>The employer must substitute traditional, unprotected medical sharps with a 'safer sharp' where it reasonably practicable to do so. The term 'safer sharp' means medical sharps that incorporate features or mechanisms to prevent or minimise the risk of accidental injury. For example, a range of syringes and needles are now available with a shield or cover that slides or pivots to cover the needle after use.</p> | To minimise the risk of needle-stick injury. | 44 |
| 8 | Are sharps containers assembled according to manufacturer's instructions and labelled in accordance with legal requirements? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>Safe handling and disposal of sharps</i></p> <p>Council Directive 2010/32/EU (2010)</p> | <p>Moderate</p> <p>As detailed in HTM 07-01:</p> <p>Each container must be labelled in accordance with the details of the legal requirements for transporting and packaging the waste (the container should be tagged or labelled in a manner that identifies the individual producer).</p> | To ensure that all sharps containers are properly assembled and appropriately labelled with a name and date both on assembly and disposal. | 45 |
| 9 | Are staff encouraged to wear gloves when undertaking venepuncture? | EQR & E | Moderate | To ensure a clean and safe medium when undertaking venepuncture and to minimise the risk of infection during an inoculation injury. | 37, 41 |
| 10 | Are staff aware of the correct procedure to follow after a needle stick injury, other sharps or blood splash exposure? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>Section g. Management of occupational exposure to BBVs and post-exposure prophylaxis</i></p> <p>Management should ensure:</p> <ul style="list-style-type: none"> • that any member of staff who has a significant occupational exposure to blood or body fluids is aware of the immediate action required and is referred appropriately for further management and follow-up; • provision of clear information for staff about reporting potential occupational exposure – in particular the need for prompt action following a known or potential exposure to HIV or hepatitis B; and • arrangements for post-exposure prophylaxis for hepatitis B and HIV | Moderate | To ensure staff are aware of procedure to follow after a needle stick injury, other sharps or blood splash exposure. | 46 |
| 11 | Are posters available which show staff the emergency algorithm to follow in case of a sharp injury and is it up to date? | EQR | Moderate | To ensure staff are aware of procedure to follow in the event of needle-stick injury | 46 |

Section 8: Waste Management Policy and Procedures

Standard: Waste is managed safely and in accordance with legislation to minimise the risk of infection or injury to patients, staff and the public.

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|--|---|--|--|--------------------------|
| 1 | Does the practice have a policy on waste management? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>Section P: Safe handling and disposal of waste</i></p> <p>e The risks from waste disposal should be properly controlled. In practice, in relation to waste, this involves:</p> <ul style="list-style-type: none"> • assessing risk; • developing appropriate policies; • putting arrangements in place to manage risks; • monitoring, auditing and reviewing the way in which arrangements work; and • being aware of statutory requirements and; legislative change and managing compliance <p>Precautions in connection with handling waste should include:</p> <ul style="list-style-type: none"> • training and information (including definition and classification of waste); <ul style="list-style-type: none"> • personal hygiene; • segregation and storage of waste; • the use of appropriate personal protective equipment; • immunisation; • appropriate procedures for handling such waste; • appropriate packaging and labelling; • suitable transport on-site and off-site; • clear procedures for dealing with accidents, incidents and spillages; and • appropriate treatment and disposal of such waste <p>Systems should be in place to ensure that the risks to service users from exposure to infections caused by waste present in the environment are properly managed, and that duties under environmental law are discharged. The most important of these are:</p> <ul style="list-style-type: none"> • duty of care in the management of waste; • duty to control polluting emissions to the air; • duty to control discharges to sewers; • obligations of waste managers; <ul style="list-style-type: none"> • collection of data and obligations to complete and retain documentation including record keeping; and • requirement to provide contingency plans and have emergency procedures in place | <p>Moderate</p> <p>HTM 07-01: Waste can only be handed to such authorised persons as registered carriers, permit/ licence holders or someone who is exempt from either being a registered carrier or operating under a permit/ licence.</p> | To ensure that a policy on waste management is developed. This policy should be made readily available for all staff to refer to as a source of reference. | 1, 2, 3, 4, 5, 6, 18, 35 |
| 2 | Is there documentary evidence to show that all clinical waste (including sharps containers) is disposed of by a registered waste collection company? | <p>M</p> <p>HTM 07-01: Safe Management of Healthcare Wastes.</p> <p>Waste can only be handed to such authorised persons as registered carriers, permit/ licence holders or someone who is exempt from either being a registered carrier or operating under a permit/ licence.</p> | Moderate | To ensure appropriate arrangements are in place in the collection and disposal of waste. | 47 |
| 3 | Are records of waste transfer and disposal arrangements kept and stored in accordance with the EPA 1990? | EQR | <p>Moderate</p> <p>As detailed in HTM 07-01</p> | To ensure evidence of good practice and to comply with HTM 07-01 requirements. | 47 |

| | | | | | |
|---|---|-----|---|--|----|
| 4 | Are there easily accessible and compliant foot-operated & fully enclosed clinical waste bins, with the appropriate colour coded bag (yellow or orange) available, in each clinical area? (E.g. the foot operation is in working order)? | EQR | Moderate As detailed in HTM 07-01 | To ensure that all clinical waste bins lidded and the waste bin liners are completely enclosed. The clinical waste bins should also be fire rated. | 35 |
| 5 | Is clinical and domestic waste correctly segregated (clinical waste in yellow or orange bags, according to waste regulations and domestic waste in black bags)? | EQR | Moderate As detailed in HTM 07-01 | To ensure proper segregation and disposal of waste as per HTM 07-01 requirements. | 35 |
| 6 | Are clinical waste bags marked with the practice code when securing for disposal? | EQR | Moderate Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to: Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections. <i>Section P: Safe handling and disposal of waste.</i> | To ensure traceability of the waste being produced. | 35 |
| 7 | Are waste bags less than 2/3 full and securely tied? | EQR | Low | To prevent spillage and overflowing of waste. | 47 |
| 8 | Where clinical waste is not collected directly from clinical areas, is it stored in a separate, secure area for waste which is kept clean and tidy and secure from vermin and/or other inappropriate/extraneous items? | EQR | Low | Where clinical waste is not collected directly from clinical areas, it should be stored securely and safely. To ensure that the clinical waste bin is always kept locked and all clinical waste sacks and sharps containers are securely stored within the waste bin. | 47 |
| 9 | Are staff encouraged to report all incidents (including near misses) to the designated infection control lead at the practice? | EQR | Low | To promote learning and improve the system. | 47 |

Section 9: Management of Specimens

Standard: All specimens will be collected packaged and transported safely in approved containers in line with recognised standards – Packaging Instruction 650 and 621 and requirements of UN3373 or UN3291 to minimise the risk of cross infection.

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|---|---|------------|---|--------|
| 1 | Does the practice have a policy or procedure for specimen handling? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>P Section Q: Packaging, handling and delivery or laboratory specimens</i></p> <p>Biological samples, cultures and other materials should be transported in a manner that ensures that they do not leak in transit and are compliant with current legislation. Staff who handle samples must be aware of the need to correctly identify, label and store samples prior to forwarding to laboratories. In addition, they must be aware of the procedures needed when the container or packaging becomes soiled with body fluids.</p> | Moderate | To ensure that a policy or procedure for specimen handling is developed. This policy should be made readily available for all staff to refer to as a source of reference. | 6 |
| 2 | Where applicable are specimens stored in a dedicated refrigerator (not with food, vaccines or medicines)? | EQR | Moderate | To ensure arrangements are in place to avoid cross contamination | 48 |
| 3 | Are arrangements for specimen testing appropriate in consulting rooms? | EQR | Moderate | To ensure arrangements are in place to avoid cross contamination | 48 |
| 4 | Are staff aware of the appropriate way to handle and transport specimens? | EQR & E | Moderate | To ensure that staff are aware of the appropriate way to handle and transport specimens. | 49, 50 |

Section 10: Decontamination of medical devices

Standard: All medical devices are decontaminated in a safe and appropriate manner to minimise the risk of infection and cross-infection.

Note: Medical devices include not only surgical instruments but a wide variety of other equipment such as dressing trolleys, BP cuffs and baby scales. A risk assessment needs to be carried out on each medical device to ensure that the appropriate level of decontamination is carried out. For those in the high or medium risk categories cleaning and sterilisation must be carried out (e.g. autoclaving). For those in the lowest risk category cleaning or cleaning plus disinfection are needed depending on circumstances

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|--|---|------------|--|-----------|
| 1 | Does the practice have a policy which outlines the decontamination processes the GP Practices use for all medical devices? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>j. Decontamination of reusable medical devices</i></p> <ul style="list-style-type: none"> Decontamination involves a combination of processes and includes cleaning, disinfection and sterilisation, according to the intended use of the device. This aims to render a reusable item safe for further use on service users and for handling by staff; Effective decontamination of reusable medical devices is an essential part of infection risk control and is of special importance when the device comes into contact with service users or their body fluids. There should be a system to protect service users and staff that minimises the risk of transmission of infection from medical devices. This requires that the device or instrument set can be clearly linked in a traceable fashion to the individual process cycle that was used to decontaminate it, such that the success of that cycle in rendering the device safe for reuse can be verified; Reusable medical devices should be decontaminated in accordance with manufacturers' instructions and current national or local best practice guidance. This must ensure that the device complies with the 'Essential Requirements' provided in the Medical Devices Regulations 2002 where applicable. This requires that the device should be clean and, where appropriate, sterilised at the end of the decontamination process and maintained in a clinically satisfactory condition up to the point of use; Management systems should ensure adequate supplies of reusable medical devices, particularly where specific devices are essential to the continuity of care; <ul style="list-style-type: none"> Reusable medical devices employed in invasive procedures, for example, endoscopes and surgical instruments have to be either individually identifiable or identified to a set of which they are a consistent member, throughout the use and decontamination cycle in order to ensure subsequent traceability; Systems should also be implemented to enable the identification of service users on whom the medical devices have been used; Decontamination of single-patient use devices, i.e. that equipment designated for use only by one patient, should be subject to local policy and manufacturer's instructions | Moderate | To ensure that a policy which outlines the decontamination processes the GP Practices use for all medical devices is developed. This policy should be made readily available for all staff to refer to as a source of reference. | 2, 51, 52 |
| 2 | Does the practice use single use surgical instruments? | EQR | Moderate | To avoid transmission and cross infection. | 53 |

| | | | | | |
|---|---|--|--|--|----|
| 3 | Does the practice use an accredited external sterile supply service for re-usable surgical instruments and devices that need to be sterile at the point of use? | EQR | Moderate - High | To avoid transmission and cross infection. | 53 |
| 4 | Are all medical devices stored appropriately and above floor level to avoid contamination? | EQR | Moderate | To ensure that all medical devices are stored appropriately in order to prevent the risk of contamination. | 54 |
| 5 | Are all items of sterile equipment within their use-by date? | EQR | High All sterile instruments should be in date to maintain patient safety. Single use instruments should be discarded immediately after use. In the event that unused instrument packs are damaged, they should still be immediately discarded, because they have lost their sterile properties. A strict protocol should be maintained for checking sterile instruments and equipment for their use by date. Those that have exceeded their use by date should be disposed of immediately. | All sterile instruments should be in date to maintain patient safety. Single use instruments should be discarded immediately after use. In the event that unused instrument packs are damaged, they should still be immediately discarded, because they have lost their sterile properties. A strict protocol should be maintained for checking sterile instruments and equipment for their use by date. Those that have exceeded their use by date should be disposed of immediately. To ensure that a stringent process for checking expiry dates of sterile items is put in place and that all staff members follow that protocol. | 53 |
| 6 | Are all items of equipment that come into contact with patients cleaned or decontaminated according to guidelines or are disposed of after each use? | M Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to: Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections. <i>j. Decontamination of reusable medical devices</i> | Moderate – High This depends on the re-usable instruments being shared, the decontamination process and also the procedure that these instruments are being used for. | To ensure that all items of equipment that come into contact with patients cleaned or decontaminated according to guidelines or are disposed of after each use in order to prevent cross infection. | 26 |
| 7 | Is there a cleaning schedule/check list maintained for all items requiring cleaning? | EQR | Moderate | To ensure that a cleaning schedule/check list is maintained for all items/medical equipment requiring cleaning, such as peak flow meter, nebulisers, ear syringe, spirometer, and other including blood pressure cuffs. | 26 |

Section 11: Clinical Rooms

Standard: The environment is designed and managed to minimise reservoirs for micro-organisms and reduce the risk of cross infection to patients, staff and visitors.

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|--|--|-----------------|--|--------|
| 1 | Are all clinical rooms and all work surfaces clean and free from extraneous items? | M Criterion 2 of The Health and Social Care Act 2008 (Amended 2015) requires all parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition. | Moderate - High | To provide a safe and clean environment for the service user. | 17, 19 |
| 2 | Is flooring impervious to liquids, non-slip, intact and clean? | EQR | Moderate | Floor in clinical rooms should be seamless and without joints and the edges with the walls should be either sealed or continuous to the walls with a coved edge. Carpets are not recommended for use in healthcare environment used by patients due to risks of contamination and spillage. | 17, 19 |

| | | | | | |
|---|--|-----|--|--|------------|
| 3 | Does the flooring form a coved skirting (i.e. uplifted at the edges on to the walls) OR is the gap between the floor and the skirting sealed and is the seal maintained? | EQR | Moderate | To avoid build-up of dust and to facilitate cleaning. | 55 |
| 4 | Are walls and ceilings clean, dry and free from visible defects (no cracks, peeling paintwork) and have smooth easy to clean surfaces? | EQR | Moderate – High Walls in clinical areas should be smooth without cracks or joints and easy to clean. If there are textured wall paper in clinical rooms, these should be removed and the walls made smooth. Clinical room affected by damp and mould will pose a higher risk of cross infection if the room is being used for certain invasive procedures. | Walls in clinical areas should be smooth without cracks or joints and easy to clean. If there are textured wall paper in clinical rooms, these should be removed and the walls made smooth. Clinical room affected by damp and mould will pose a higher risk of cross infection if the room is being used for certain invasive procedures. | 55 |
| 5 | Is there an examination couch with an intact, impervious cover and single use roller paper available for use? | EQR | Moderate | All furniture in the Practice should be suitable for its use, (e.g. impermeable / washable materials). To ensure that the examination couch is repaired with an impervious cover. | 17, 56, 57 |
| 6 | Is the examination couch fitted with a paper roll holder? | E | Low | To ensure that paper roll holder is fitted on examination couches and that paper rolls are placed on their respective paper roll holders to minimise risks of the paper rolls being left on the floor. | 17 |
| 7 | Are there sufficient work surfaces and dressing trolleys of smooth, impervious and cleanable material? | EQR | Low | To ensure the risk of contamination is minimised. | 56, 57 |
| 8 | Are all treatment surfaces in the room cleaned every working day with hot water and detergent or detergent wipes in accordance with written practice cleaning schedules? | EQR | Moderate | To ensure the service users are cared for in a clean environment with minimum risk of contamination/cross infection. | 56, 57 |

Section 12: Vaccine Storage and Cold Chain

Standard: Vaccines are stored and transported safely.

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|---|--|---|---|--------|
| 1 | Does the practice have an up to date cold chain policy (reviewed within the last two years) as per the standards of the Green Book and is this accessible to all staff? | M Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to: Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections. | High | To ensure that an up to date cold chain policy (reviewed within the last two years) as per the standards of the Green Book is developed. This policy should be made readily available for all staff to refer to as a source of reference. | 58, 59 |
| 2 | Is there a designated person/s (at least two recommended) in the practice responsible for the ordering, delivery and storage of vaccines? | EQR | Moderate As detailed in Chapter 3 of The Green Book. | To ensure continuity in the safe delivery of care and maintenance of the Cold Chain responsibility. | 58, 59 |
| 3 | Are vaccines monitored for their expiry dates and the close to expiry stocks clearly labelled? | EQR | Moderate As detailed in Chapter 3 of The Green Book. | To ensure continuity in the safe delivery of care and maintenance of the Cold Chain responsibility. | 58, 59 |

| | | | | | |
|----|---|---|--|---|------------|
| 4 | Is the refrigerator specialised for the storage of vaccines (eg. the refrigerator has wire shelves/baskets or shelves capable of allowing air ventilation, there are no vaccines stored in enclosed plastic trays at bottom of refrigerator, domestic type refrigerators are not recommended)? | M As detailed in Chapter 3 of The Green Book. | Moderate As detailed in Chapter 3 of The Green Book. | To ensure that the practice follow the standards set out in the Green Book (DH, 2010). Vaccine fridges should be dedicated for vaccine use only. | 58, 59, 62 |
| 5 | Are vaccines correctly stored to allow good air flow within the vaccine refrigerator? (eg. vaccines are not stored against the back plates, touching the side of the fridge, at bottom of fridge or in vegetable bins and not stored in containers that are not webbed baskets)? | EQR | Moderate As detailed in Chapter 3 of The Green Book. | The air flow within the vaccine fridge should not be disrupted by any means. Vaccines should be placed in such a way which will allow air to flow within them to maintain a constant temperature. Good air circulation around a vaccine storage unit is essential for proper cooling functions. A storage unit should be well-ventilated with space around the sides and top. Vaccines should not be stored in any integral enclosed plastic trays. These prevent the circulation of cool air and may lead to warming of vaccines. (HPS Scotland, vaccine-storage-handling-2013) | 58, 59 |
| 6 | Are there measures in place to prevent the fridge from being turned off (switch-less socket or warning label on plug)? | EQR | Moderate As detailed in Chapter 3 of The Green Book. | The vaccine fridge should be directly wired / fused spur to the main electrical supply (The Green Book). The use of multiple plug extension is not recommended. | 58, 59, 60 |
| 7 | Is/Are the vaccine fridge/s located in a well-ventilated area. (eg. not located near any heat source, ie radiator, or direct sunlight)? | EQR | Moderate As detailed in Chapter 3 of The Green Book. | To ensure that the vaccine fridge is not affected by external heat sources. | 58 |
| 8 | Is the temperature of the vaccine fridge continually monitored with a min/max thermometer and the temperatures are recorded each working day to ensure vaccines are maintained at 2-8°C? (Min, max and actual fridge temperatures are recorded)? <i>(It is best practice to record the temperatures twice daily)</i> | M As detailed in Chapter 3 of The Green Book. | Moderate As detailed in Chapter 3 of The Green Book. | Temperature recordings on the vaccine fridge should include minimum and maximum temperatures as well as actual temperatures. Vaccine fridge thermometers should be reset on a daily basis. Daily resetting of the thermometer and any out of range temperatures should be documented. To ensure that the correct template is available for recording all the parameters of vaccine fridges as recommended in the GREEN BOOK. To ensure that all members of staff are aware of the correct way of recording temperatures and resetting the fridge thermometers. | 58, 61 |
| 9 | Does the practice has a maintenance contract that allows for at least yearly servicing, calibration of the temperature gauge? | EQR | Moderate As detailed in Chapter 3 of The Green Book. | To ensure that a maintenance contract that allows for at least yearly servicing, calibration of the temperature gauge. All records must be kept for a minimum of 2 years. | 58, 59 |
| 10 | Is a second min/max thermometer or Data Logger temperature recording device, independent of mains electricity supply available and used? | EQR | Moderate As detailed in Chapter 3 of The Green Book. | A second battery operated thermometer is recommended for benchmarking temperatures and should there be a power cut. According to The Green Book a data logger is recommended for that purpose. | 58, 59 |
| 11 | Is the fridge either self-defrosting or is it defrosted monthly or sooner if needed and a validated cool box is then used to maintain the cold chain? | EQR | Moderate As detailed in Chapter 3 of The Green Book. | To ensure that there is no build-up of ice which can affect the vaccines and alter the fridge temperature. | 60 |
| 12 | Is there a process in place for safe disposal of expired, damaged or surplus vaccines? | EQR | Moderate It is a requirement of the HTM 07-01: Safe management of Healthcare waste. | To ensure that medicinal wastes are disposed of in accordance with HTM 07-01: Safe management of Healthcare waste. | 58 |
| 13 | Does the practice have records of vaccines received, batch numbers, expiry dates, fridge temperatures, servicing and defrosting of the fridge? | EQR | Moderate As detailed in Chapter 3 of The Green Book. | To ensure that records of vaccines received, batch numbers, expiry dates, fridge temperatures, servicing and defrosting of the fridge are kept. | 58, 59, 62 |
| 14 | Is there accessible written guidance on what staff should do in the event of a power cut or a temperature reading outside the required range? | EQR | Moderate As detailed in Chapter 3 of The Green Book. | To ensure that written guidance is available on what staff should do in the event of a power cut or a temperature reading outside the required range. | 58, 59, 62 |

Section 13: Notification of infectious diseases and contamination

Standard: All notifiable diseases are reported on suspicion, within the time frames set out in the Health Protection (Notification) Regulations 2010

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|---|---|------------|---|--------|
| 1 | Does the practice have a policy on managing patients with communicable diseases? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>Section d. Isolation of service users with an infection (see also criterion 7)</i></p> <ul style="list-style-type: none"> The isolation policy should be evidence based and reflect local risk assessment;¹ Indications for isolation should be included in the policy, as should procedures for the infection prevention and control management of service users in isolation; Information on isolation should be easily accessible and understood by all groups of staff, service users and the public | Moderate | To ensure that a policy on managing patients with communicable diseases is developed. This policy should be made readily available for all staff to refer to as a source of reference. | 63 |
| 2 | Does the practice notify all reportable infectious disease on suspicion to the proper officer at the local authority? | <p>M</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>Section d. Isolation of service users with an infection (see also criterion 7).</i></p> | Moderate | To ensure that all reportable infectious disease on suspicion to the proper officer at the local authority. | 63 |
| 3 | Does the practice have access to notification forms? | EQR | Moderate | To ensure that practice staff have access to notification forms. | 63 |
| 4 | Does the practice notifying gastro intestinal disease (food poisoning) on suspicion? | EQR | Moderate | To ensure that the practice notifying gastro intestinal disease (food poisoning) on suspicion. | 63, 64 |
| 5 | Does the practice notify Gastro intestinal disease (food poisoning) when stool specimen results are received from the microbiology laboratory? | EQR | Moderate | To ensure that the practice notify Gastro intestinal disease (food poisoning) when stool specimen results are received from the microbiology laboratory. | 64 |
| 6 | Is the practice aware of the new requirements to notify cases of contamination and other diseases which may have public health significance that are not listed in the regulations? | EQR | Moderate | To ensure that practice staff are aware of the new requirements to notify cases of contamination and other diseases which may have public health significance that are not listed in the regulations. | 63 |

Section 14: Antimicrobial Stewardship (AMS)

Standard: Prescribers are aware of the relevant guidelines and regularly audit their own, and discuss in practice meetings, their antibiotic prescribing patterns. GPs are aware of TARGET: Treat Antibiotics Responsibly. Guidance, Education, Tool.

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|-----------|--|------------|--|-----|
|---|-----------|--|------------|--|-----|

| | | | | | |
|----|---|---|-----------------|---|-----------|
| 1 | Are GP prescribers in the practice aware of the TARGET toolkit? | <p>EQR</p> <p>H&SC Act 2008 – Criterion 3</p> <p>Ensure appropriate antimicrobial use to optimise patient outcomes and to reduce the risk of adverse events and antimicrobial resistance. Antimicrobial prescribing should follow local policies and national guidance such as PHE primary care guidance: Managing common infections; guidance for primary care and TARGET. Evidence to demonstrate adoption and adherence to policies and guidelines should be available to commissioners.</p> | Moderate | To ensure that all GP prescribers in the practice are aware of the TARGET toolkit. | 65 |
| 2 | Have all GP prescribers completed the Antimicrobial Stewardship Self-Assessment Checklist available in TARGET? (Give number of GP prescribers using the self-assessment checklist against those who do not) ____ / ____ | EQR | Moderate | To ensure that all GP prescribers completed the Antimicrobial Stewardship Self-Assessment Checklist available in TARGET. | 66 |
| 3 | Is the document “Antimicrobial prescribing and stewardship competencies” available and/or has it been read by prescribers in the practice? (Give number of prescribers who are aware of this document against those who are not) ____ / ____ | EQR | Low | To ensure that the document Antimicrobial prescribing and stewardship competencies” is available and/or has it been read by prescribers in the practice. | 67 |
| 4 | Are all the prescribers in the Practice aware of the Public Health England AMR local indicators? | EQR | Moderate | To ensure that all the prescribers in the Practice aware of the Public Health England AMR local indicators. | 68 |
| 5 | Is the practice aware of how they may access their antibiotic prescribing data online? | EQR | Low | To ensure that practice aware of how they may access their antibiotic prescribing data online. | 69 |
| 6 | Are all prescribers in the practice aware of the NICE guidelines on AMS. | EQR | Low | To ensure that all prescribers in the practice aware of the NICE guidelines on AMS. | 70 |
| 7 | Do all prescribers give information to their service users of how they should correctly use antimicrobial medicines and the dangers associated with their overuse and misuse? | EQR | Low | To ensure that all prescribers give information to their service users of how they should correctly use antimicrobial medicines and the dangers associated with their overuse and misuse. | 71 |
| 8 | Are all prescribers aware of the UK's 5-year Antimicrobial Resistance Strategy? | E | Low | To ensure that all prescribers are aware of the UK's 5-year Antimicrobial Resistance Strategy. | 72 |
| 9 | Does the practice actively participates in the European Antibiotic Awareness Day/Week (EEAD) held in November each year? | E | Low | To ensure that the practice actively participates in the European Antibiotic Awareness Day/Week (EEAD) which is held in November. | 73 |
| 10 | Are all clinical staff in the Practice aware of the PHE Antibiotic Guardian campaign? | E | Low | To ensure that all clinical staff in the Practice aware of the PHE Antibiotic Guardian campaign. | 74 |
| 11 | Does the practice have an identified sepsis lead / link? | E | Moderate | To ensure that there is an identified sepsis lead/ link in the practice. | 81 |
| 12 | Are clinicians/GPs aware of and/or have received training in identifying sepsis? | EQR | Moderate | To ensure that clinicians/ GPs have been trained in identifying sepsis. | 82 |
| 13 | Does the practice promote the use of the GRASP Fever Audit tool? | E | Moderate | To ensure that the practice promote the use of the GRASP Fever Audit tool. | 83 |
| 14 | Does the practice make use of the National Early Warning Signs (NEWS) tool to assess adults for sepsis and the Paediatric Early Warning Signs (PEWS) tool to assess children? | EQR | Moderate | To ensure that the practice make use of the National Early Warning Signs (NEWS) tool to assess adults for sepsis and the Paediatric Early Warning Signs (PEWS) tool to assess children. | 84 |

Section 15: Minor Surgery rooms

Standard: The environment is designed and managed to minimise reservoirs for micro-organisms and reduce the risk of cross infection to patients, staff and visitors

| # | Questions | M= Mandatory EQR= EQR E= Educational | Risk Level | Remedial action recommended to resolve problem | Ref |
|---|---|---|---|---|------------|
| 1 | Is there is a dedicated room for minor surgery (for practices performing level 3 minor surgery) or is the clinical room of sufficient standard for undertaking level 2 minor surgery? | M for Level 2 & 3 minor surgery H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition. | High The risk depends on the level of minor surgical procedures being undertaken. | To ensure that minor surgery (level 2 & 3) are carried out in a dedicated room. | 55 |
| 2 | Are all sterile packs and other equipment stored appropriately and is there adequate storage space? | M for Level 2 & 3 minor surgery Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to: Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections. <i>j. Decontamination of reusable medical devices</i> • Decontamination involves a combination of processes and includes cleaning, disinfection and sterilisation, according to the intended use of the device. This aims to render a reusable item safe for further use on service users and for handling by staff; • Effective decontamination of reusable medical devices is an essential part of infection risk control and is of special importance when the device comes into contact with service users or their body fluids. There should be a system to protect service users and staff that minimises the risk of transmission of infection from medical devices. This requires that the device or instrument set can be clearly linked in a traceable fashion to the individual process cycle that was used to decontaminate it, such that the success of that cycle in rendering the device safe for reuse can be verified; • Reusable medical devices should be decontaminated in accordance with manufacturers' instructions and current national or local best practice guidance. This must ensure that the device complies with the 'Essential Requirements' provided in the Medical Devices Regulations 2002 where applicable. This requires that the device should be clean and, where appropriate, sterilised at the end of the decontamination process and maintained in a clinically satisfactory condition up to the point of use; • Management systems should ensure adequate supplies of reusable medical devices, particularly where specific devices are essential to the continuity of care; • Reusable medical devices employed in invasive procedures, for example, endoscopes and surgical instruments have to be either individually identifiable or identified to a set of which they are a consistent member, throughout the use and decontamination cycle in order to ensure subsequent traceability; • Systems should also be implemented to enable the identification of service users on whom the medical devices have been used; • Decontamination of single-patient use devices, i.e. that equipment designated for use only by one patient, should be subject to local policy and manufacturer's instructions | Moderate | To ensure that all sterile packs and other equipment stored appropriately. | 19, 75, 76 |

| | | | | | |
|---|--|---|----------|--|--------|
| 3 | <p>Is the practice using disposable single use instruments, supplied by a recognised manufacturer of sterile disposable instruments?</p> <p><i>If the answer is 'No' the practice should contact the local IPC advisors for advice.</i></p> | <p>M for Level 2 & 3 minor surgery</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>j. Decontamination of reusable medical devices</i></p> <ul style="list-style-type: none"> • Decontamination involves a combination of processes and includes cleaning, disinfection and sterilisation, according to the intended use of the device. This aims to render a reusable item safe for further use on service users and for handling by staff; • Effective decontamination of reusable medical devices is an essential part of infection risk control and is of special importance when the device comes into contact with service users or their body fluids. There should be a system to protect service users and staff that minimises the risk of transmission of infection from medical devices. This requires that the device or instrument set can be clearly linked in a traceable fashion to the individual process cycle that was used to decontaminate it, such that the success of that cycle in rendering the device safe for reuse can be verified; • Reusable medical devices should be decontaminated in accordance with manufacturers' instructions and current national or local best practice guidance. This must ensure that the device complies with the 'Essential Requirements' provided in the Medical Devices Regulations 2002 where applicable. This requires that the device should be clean and, where appropriate, sterilised at the end of the decontamination process and maintained in a clinically satisfactory condition up to the point of use; • Management systems should ensure adequate supplies of reusable medical devices, particularly where specific devices are essential to the continuity of care; • Reusable medical devices employed in invasive procedures, for example, endoscopes and surgical instruments have to be either individually identifiable or identified to a set of which they are a consistent member, throughout the use and decontamination cycle in order to ensure subsequent traceability; • Systems should also be implemented to enable the identification of service users on whom the medical devices have been used; • Decontamination of single-patient use devices, i.e. that equipment designated for use only by one patient, should be subject to local policy and manufacturer's instructions | Moderate | To ensure that all disposable single use instruments, supplied by a recognised manufacturer of sterile disposable instruments. | 40, 54 |
|---|--|---|----------|--|--------|

| | | | | | |
|---|--|---|---|--|--------|
| 4 | <p>Where applicable, is an accredited external sterile supply service used for re-usable surgical instrument that need to be sterile at the point of use?</p> <p>If a GP contractor wishes to have advice about in-house decontamination arrangements, they should contact NEL to establish what this would entail, together with the associated monitoring.</p> | <p>M for Level 2 & 3 minor surgery</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>j. Decontamination of reusable medical devices</i></p> <ul style="list-style-type: none"> • Decontamination involves a combination of processes and includes cleaning, disinfection and sterilisation, according to the intended use of the device. This aims to render a reusable item safe for further use on service users and for handling by staff; • Effective decontamination of reusable medical devices is an essential part of infection risk control and is of special importance when the device comes into contact with service users or their body fluids. There should be a system to protect service users and staff that minimises the risk of transmission of infection from medical devices. This requires that the device or instrument set can be clearly linked in a traceable fashion to the individual process cycle that was used to decontaminate it, such that the success of that cycle in rendering the device safe for reuse can be verified; • Reusable medical devices should be decontaminated in accordance with manufacturers' instructions and current national or local best practice guidance. This must ensure that the device complies with the 'Essential Requirements' provided in the Medical Devices Regulations 2002 where applicable. This requires that the device should be clean and, where appropriate, sterilised at the end of the decontamination process and maintained in a clinically satisfactory condition up to the point of use; • Management systems should ensure adequate supplies of reusable medical devices, particularly where specific devices are essential to the continuity of care; • Reusable medical devices employed in invasive procedures, for example, endoscopes and surgical instruments have to be either individually identifiable or identified to a set of which they are a consistent member, throughout the use and decontamination cycle in order to ensure subsequent traceability; • Systems should also be implemented to enable the identification of service users on whom the medical devices have been used; • Decontamination of single-patient use devices, i.e. that equipment designated for use only by one patient, should be subject to local policy and manufacturer's instructions | High | To ensure that where re-usable surgical instrument are used, these are supplied by an accredited external sterile supply provider. | 40, 54 |
| 5 | Is the minor surgery room clean and free from extraneous items? | <p>M</p> <p>H&SC Act 2008 –</p> <p>Criterion All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition.</p> | High | All areas including clinical areas should be visibly clean and free from extraneous items. Clutter allow dust and dirt to settle and may hinder adequate cleaning. To ensure that a thorough cleaning of high level surfaces as well as low level surfaces is undertaken. This type of cleaning should be carried out on a regular basis to minimise dust and dirt accumulation. | 77 |
| 6 | Are walls in good condition (no cracked, damaged or peeling paintwork or rough surface finishes), intact and have smooth easy-to-clean surfaces? | <p>M for Level 2 & 3 minor surgery</p> <p>H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition.</p> | <p>Moderate - High.</p> <p>The risk will depend on the type and condition of the wall surfaces. Evidence of damp for example will be considered as a high risk for the minor surgery room.</p> | To ensure that wall surfaces in all clinical areas are smooth without cracks or joints and easy to clean. Any damage/ cracks on wall surfaces in the minor surgery room should be repaired and made smooth. | 77 |
| 7 | Is flooring impermeable, intact and have continuous edging covered up the walls? | <p>M for Level 2 & 3 minor surgery</p> <p>H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition.</p> | Moderate | Floor in the minor surgery room should seamless and without joints and the edges with the walls should be either sealed or continuous to the walls with a coved edge. | 19, 77 |
| 8 | Are ceilings intact and free from visible cracks or visible defects? | <p>M for Level 2 & 3 minor surgery</p> <p>H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition.</p> | Moderate | Ceilings in the minor surgery room should be intact and free from visible cracks and defects. | 35 |

| | | | | | |
|----|--|---|-----------------|--|------------|
| 9 | Are ceiling lights protected / enclosed from potential contamination? | M for Level 2 & 3 minor surgery H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition. | Moderate | Ceiling light in the minor surgery room should be protected / enclosed to minimise risks from potential contamination. To ensure that the ceiling light is enclosed. | 35 |
| 10 | Does the room have adequate ventilation - natural or mechanical (no desktop fans)? <i>For level 3 minor surgery, the room should have mechanical ventilation with a minimum of 10 air exchanges as per current guidelines.</i> | M for Level 2 & 3 minor surgery H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition. | Moderate | To ensure that the room where minor surgery is carried out adequately ventilated - natural or mechanical (no desktop fans)? <i>For level 3 minor surgery, the room should have mechanical ventilation with a minimum of 10 air exchanges as per current guidelines.</i> | 35, 79, 80 |
| 11 | Is the heat source and pipe work in the room enclosed to prevent accumulation of dust and dirt? | M for Level 2 & 3 minor surgery H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition. | Moderate | To ensure that the heat source and pipe work in the room where minor surgery is performed is enclosed to prevent accumulation of dust and dirt. | 35, 77 |
| 12 | Is the treatment couch intact and is protected with disposable paper towel that is changed after each patient? | M for Level 2 & 3 minor surgery H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition. | Moderate | To ensure the service users are cared for in a clean environment with minimum risk of contamination/ cross infection. | 78 |
| 13 | Are all work surfaces intact, smooth, and impervious easy to clean and are able to withstand cleaning with chemical disinfectants? | M for Level 2 & 3 minor surgery H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition. | Moderate | To ensure that all work surfaces are intact, easy to clean, smooth and impervious to fluids. All surfaces should be able to withstand cleaning with chemical disinfectants. | |
| 14 | Are all wall cabinets intact with doors? (open shelves are not recommended, wall cabinets should continue to ceiling level or have sloped tops). | EQR H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition. | Moderate | To ensure that all wall mounted cabinets are either continuous to the ceiling or have sloped top. All open shelving should be removed in order to minimise dust settlement. | 17, 19 |
| 15 | Does the clinical hand wash basin conforms to current recommended guidance (HTM 00-10; HBN 00-09) with the following available facilities: <ul style="list-style-type: none"> • Elbow, foot operated mixer taps • No swan neck fittings on taps • Thermostatically controlled hot / cold water • Free from sink plugs and overflows • Water from the tap does not drain directly into the drainage outlet • Hand hygiene facilities are intact. | M for Level 2 & 3 minor surgery H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition. | Moderate | To ensure that all clinical hand washing sinks have taps with elbow or wrist lever operated mixer taps. - Taps with swan neck faucet is not compliant with current infection control guidance as they do not empty completely. - Hot water for hand washing sinks should be thermostatically in order to prevent scalding from hot water. - Clinical hand washing sinks with overflow are non-compliant because the tube that connects the overflow to the drain may contain a number of biofilms which may increase risks of hand contamination. | 35, 77 |
| 16 | Are there wall mounted dispensers for liquid soap and is the liquid soap dispensed via non-refillable cartridges? (Antiseptic hand wash must also be dispensed via wall mounted dispensers and dispensed from non-refillable cartridges) | M for Level 2 & 3 minor surgery H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition. | Moderate | Liquid soap dispensers should be wall-mounted at all wash-hand basins and be designed to be operated without contamination from the user's hands coming into direct contact with the dispensing mechanism. | 19, 35 |

| | | | | | |
|----|--|--|----------|--|--------|
| 17 | Are there wall mounted dispensers with good quality disposable paper hand towels? | <p>M for Level 2 & 3 minor surgery</p> <p>H&SC Act 2008 – All parts of the premises from which it provides care are suitable for the purpose, kept clean and maintained in good physical repair and condition.</p> <p>As detailed in HBN 00-09. The use of paper towels in rolls should be discouraged; they are difficult to tear off without contaminating the remaining roll.</p> | Moderate | Paper towel dispensers should be wall-mounted by all wash-hand basins and be designed to be operated without contamination from the user's hands coming into direct contact with the dispensing mechanism. | 19, 35 |
| 18 | Is the clinical hand wash basin free from re-usable nail brushes? | M for Level 2 & 3 minor surgery | Moderate | Re-usable nail brushes should not be used. | 19, 77 |
| 19 | Are single use sterile and non-sterile gloves available in latex and non-latex nitrile material? | M for Level 2 & 3 minor surgery | Moderate | To ensure that single use sterile and non-sterile gloves are available in latex and non-latex nitrile material. | 78 |
| 20 | Is there is a designated stainless steel trolley available for use in this room only? | M for Level 2 & 3 minor surgery | Moderate | A designated stainless steel trolley should be available for use in this room only. | 78 |
| 21 | Is there a clean clinical waste bin with a foot pedal with waste bag fully enclosed and is it in good operating condition? (Waste bags must not be attached to cupboards / trolleys etc). | <p>M for Level 2 & 3 minor surgery</p> <p>HTM 07-01: Management of Healthcare Wastes</p> | Moderate | All clinical waste bins should have a lid and the waste bin liners are completely enclosed. The clinical waste bins should also be fire rated. | 78 |
| 22 | Do all staff use recommended PPE (including disposable goggles) when splashing of body fluids is anticipated? | <p>M for Level 2 & 3 minor surgery</p> <p>Criterion 9 of The Health & Social Care Act 2008 (Updated 2015) requires registered provider to:</p> <p>Have and adhere to policies, designed for the individual's care and provider organisations that will help to prevent and control infections.</p> <p><i>Section f. Prevention of occupational exposure to blood-borne viruses (BBVs) including prevention of sharps injuries</i></p> <p>M Measures to avoid exposure to BBVs (hepatitis B and C and HIV) should include:</p> <ul style="list-style-type: none"> • immunisation against hepatitis B, as set out in <i>Immunisation against infectious disease</i>, better known as 'The Green Book' (published by Public Health England); • the wearing of gloves and other protective clothing; • the safe handling and disposal of sharps, including the provision of medical devices that incorporate sharps protection where there are clear indications that they will provide safe systems of working for staff; and • measures to reduce risks during surgical procedures | Moderate | To ensure that all staff use the recommended PPE (including disposable goggles) when splashing of body fluids is anticipated. | 78 |
| 23 | Are disposable sterile drapes available and used for level 2 and level 3 minor surgeries? | M for Level 2 & 3 minor surgery | Moderate | To ensure that disposable sterile drapes are available and used for level 2 and level 3 minor surgeries. | 78 |
| 24 | Does the GP Practice audit post-operative wound infections and are records kept? | M for Level 2 & 3 minor surgery | Moderate | It is recommended that the Practice audit post-operative wound infections and records are retained. | 26, 78 |

References

1. Department of Health Code of Practice for the NHS on the prevention and control of healthcare associated infections and related guidance: Criterion 1
<https://www.gov.uk/government/publications/the-health-and-social-care-act-2008-code-of-practice-on-the-prevention-and-control-of-infections-and-related-guidance>
2. Department of Health - Health and Social Care Act 2008 prevention and control of healthcare associated infections and related guidance (July 2015). Criterion 9
<https://www.gov.uk/government/publications/the-health-and-social-care-act-2008-code-of-practice-on-the-prevention-and-control-of-infections-and-related-guidance>
3. Department of Health - Health and Social Care Act 2008 prevention and control of healthcare associated infections and related guidance (revised 2015) Criterion 6 and 10
<https://www.gov.uk/government/publications/the-health-and-social-care-act-2008-code-of-practice-on-the-prevention-and-control-of-infections-and-related-guidance>
4. Department of Health - Health and Social Care Act 2008 prevention and control of healthcare associated infections and related guidance (revised 2015) Criterion 1
<https://www.gov.uk/government/publications/the-health-and-social-care-act-2008-code-of-practice-on-the-prevention-and-control-of-infections-and-related-guidance>
5. Department of Health - Health and Social Care Act 2008 prevention and control of healthcare associated infections and related guidance. Guidance for compliance with Criterion 5
<https://www.gov.uk/government/publications/the-health-and-social-care-act-2008-code-of-practice-on-the-prevention-and-control-of-infections-and-related-guidance>
6. Department of Health - Health and Social Care Act 2008 prevention and control of healthcare associated infections and related guidance. Criterion 8
<https://www.gov.uk/government/publications/the-health-and-social-care-act-2008-code-of-practice-on-the-prevention-and-control-of-infections-and-related-guidance>
7. Water Supply (Water Fittings) Regulations 1999. SI 1999 No 1148. HMSO, 1999. <http://www.legislation.gov.uk/uksi/1999/1148/contents/made>
8. Water Supply (Water Quality) Regulations 2010. SI 2010 No 994. HMSO, 2000. <http://www.legislation.gov.uk/wsi/2010/994/contents/made>
9. The Health and Social Care Act 2008: Code of Practice on the prevention and control of infections and related guidance. 2010. <https://www.gov.uk/government/publications/the-health-and-social-care-act-2008-code-of-practice-on-the-prevention-and-control-of-infections-and-related-guidance>
10. British, European and International Standards BS 8558:2011. Design, installation, testing and maintenance of services supplying water for domestic use within buildings and their curtilages. Complementary guidance to BS EN 806. British Standards Institution, 2015 <http://www.ihsti.com/CIS/document/299472>
11. Legionnaires' disease: A guide for duty holders Leaflet INDG458 HSE Books 2012 www.hse.gov.uk/pubns/indg458.htm The control of legionella: A recommended Code of Conduct for service providers The Legionella Control Association 2013 www.legionellacontrol.org.uk
12. Department of Health - Health and Social Care Act 2008 prevention and control of healthcare associated infections and related guidance. Guidance for compliance with Criterion 9 F Prevention of occupational exposure to blood-borne viruses (BBVs), including prevention of sharps injuries <https://www.gov.uk/government/publications/the-health-and-social-care-act-2008-code-of-practice-on-the-prevention-and-control-of-infections-and-related-guidance>
13. Department of Health (2007) Health clearance for tuberculosis, hepatitis B, hepatitis C and HIV: New healthcare workers. <https://www.gov.uk/government/publications/new-healthcare-workers-clearance-for-hepatitis-b-and-c-tb-hiv>
14. The Green Book Chapter 12: <https://www.gov.uk/government/publications/immunisation-of-healthcare-and-laboratory-staff-the-green-book-chapter-12>
15. CQC Senior National GP Advisor and Responsible Officer page: <http://www.cqc.org.uk/content/nigels-surgery-37-immunisation-healthcare-staff>
16. Department of Health - Health and Social Care Act 2008 prevention and control of healthcare associated infections and related guidance. Guidance for compliance with Criterion 10 Occupational Health Services.
17. National Patient Safety Agency: The national specifications for cleanliness in the NHS: Guidance on setting and measuring cleanliness outcomes in primary care medical and dental premises. <http://www.nrls.npsa.nhs.uk>
18. Department of Health and Social Care Act 2008 prevention and control of healthcare associated infections and related guidance. Guidance for compliance with Criterion 2
19. Health Building Note 00-09 Infection Control in the Built Environment available from <https://www.gov.uk/government/publications/guidance-for-infection-control-in-the-built-environment>
20. National Patient Safety Agency – Clean Your Hands Campaign <http://www.npsa.nhs.uk/cleanyourhands/>
21. DH Uniforms and Work wear 2010 http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_114751
22. Health Technical Memorandum 11-10 Part C Sanitary Assemblies: <https://www.gov.uk/government/publications/guidance-on-flooring-walls-and-ceilings-and-sanitary-assemblies-in-healthcare-facilities>
23. Health and Safety Executive: Legionnaires' disease. The control of legionella bacteria in water systems. The Approved Code of Practice. (2000): <http://www.hse.gov.uk/pubns/books/l8.htm>
24. WHO Guidelines on Hand Hygiene in Healthcare 2009: http://www.who.int/gpsc/country_work/en/
25. MMWR Guidelines for hand hygiene in healthcare settings 2002: <http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5116a1.htm>
26. Minor surgery in general practice, Good Practice, Volume 3 Issue 2, October 2012: <https://webcache.googleusercontent.com/search?q=cache:4hWAYIPMM6QJ:https://www.themdu.com/~media/files/mdu/publications/journals/good%2520practice/good%2520practice%2520october%25202012.pdf+&cd=1&hl=en&ct=clnk&gl=>
27. Legislation.gov.uk Health and Safety Executive The Personal Protection Equipment at Work Regulations 1992 www.hse.gov.uk/pubns/indg174.pdf
28. Health and Safety Executive: Latex allergies in health and social care: <http://www.hse.gov.uk/healthservices/latex/index.htm>
29. Rego & Roley (1999): <https://www.ncbi.nlm.nih.gov/pubmed/10511487>
30. Phalen & Wong (2014): <https://www.cdc.gov/niosh/nioshtic-2/20044027.html>
31. NICE: Infection: Prevention and control of healthcare associated infection in primary and community care. 2012: <http://publications.nice.org.uk/infection-cg139/guidance>

32. World Health Organisation: 5 Moments for Hand Hygiene: <http://www.who.int/gpsc/5may/background/5moments/en/>
33. Control of Substances Hazardous to Health, Regulations. COSHH (2002) <http://www.hse.gov.uk/nanotechnology/coshh.htm>
34. NHS Revised Healthcare Cleaning Manual 2009: <http://www.nrls.npsa.nhs.uk/resources/?EntryId45=61830>
35. Health Technical Memorandum 07-01 Safe Management of Healthcare Waste <https://www.gov.uk/government/publications/guidance-on-the-safe-management-of-healthcare-waste>
36. Department of Health 1998 Guidance of Clinical Health Care Workers: Protection against infection with Blood-Borne Viruses. Recommendations of the Expert Advisory Group
37. WHO Guidelines on Drawing Blood: Best Practices in Phlebotomy: http://www.who.int/injection_safety/sign/drawing_blood_best/en/
38. http://www.saferneedles.org.uk/news/pdf_articles/Directive_press_statement.pdf
39. <http://www.europeanbiosafetynetwork.eu/EU%20Sharps%20Injuries%20Implementation%20Guidance.pdf>
40. The Health and Safety Executives (2013) implements aspects of the European Council Directives 2010/32/EU (The Sharps Directive) { <http://www.hse.gov.uk/pubns/hsis7.pdf> }.
41. HSE document INDG342 <http://www.hse.gov.uk/pubns/indg342.pdf>
42. NICE clinical guidelines CG 139 HCAI in Prevention and control in primary and community care 1:4Feb 2017 <https://www.nice.org.uk/guidance/cg139>
43. Epic2 and 3 National evidence-based guidelines for preventing healthcare-associated infections https://www.his.org.uk/files/3113/8693/4808/epic3_National_Evidence-Based_Guidelines_for_Preventing_HCAI_in_NHSE.pdf
44. Implemented May 2013: Council Directive 2010/32/EU (2010) Implementing the framework agreement on prevention from sharps injuries in the hospital and health care sector, concluded by HOSPEEM and EPSU, *Official Journal of European Union*. <https://osha.europa.eu/en/legislation/directives/council-directive-2010-32-eu-prevention-from-sharp-injuries-in-the-hospital-and-healthcare-sector>
45. Royal College of Nursing (2002) Position Statement on Injection Technique: http://www.rcn.org.uk/_data/assets/pdf_file/0010/78535/001753.pdf http://www.rcn.org.uk/_data/assets/pdf_file/0010/78535/001753.pdf
46. NHS England National Primary Care Occupational Health Service Specification: <http://www.saferneedles.org.uk/?page=41&id=157&back=1>
47. Environment Agency - Waste (England and Wales) Regulations 2011) <http://www.legislation.gov.uk/ukdsi/2011/9780111506462/contents>
48. Policies and Protocols BMA: <https://www.bma.org.uk/-/.../doctors%20as%20managers/gpcqcregwhatyouneedtoknow>
49. Packaging Instruction 650 and 621 and requirements of UN3373 or UN3291: <http://www.kch.nhs.uk/gps/gp-pathology-guide/packaging-requirements>
50. Packaging Instruction 650 and 621 and requirements of UN3373 or UN3291: <http://www.kch.nhs.uk/gps/gp-pathology-guide/sending-samples-by-royal-mail>
51. Department of Health 2007 Decontamination of re-usable medical devices in the primary, secondary and tertiary care sectors (NHS and Independent providers)
52. HTM 01-01 – Decontamination of re-usable medical devices: <https://www.gov.uk/government/publications/management-and-decontamination-of-surgical-instruments-used-in-acute-care>
53. Medical Device Directive (93/42/EEC): <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CONSLEG:1993L0042:20071011:en:PDF> (no annexes)
54. MHRA Managing Medical Devices DB2006 (05): <http://www.mhra.gov.uk/home/groups/dts-bs/documents/publication/con2025143.pdf>
55. HBN 11-01 Health Building Notes for Primary and community care Facilities for Primary and Community Care Services: <https://www.gov.uk/government/publications/guidance-for-facilities-for-providing-primary-and-community-care-services>
56. CQC Regulation 15: Premises and Equipment: <http://www.cqc.org.uk/content/regulation-15-premises-and-equipment>
57. Health and Social Care Act 2008 (Regulated Activities) Regulations 2014: Regulation 15 <http://www.legislation.gov.uk/ukdsi/2014/978011117613/contents>
58. Department of Health Green Book Chapter 3 Storage, Distribution and Disposal of Vaccines (DH, 2013)
59. PHE 2014 Protocol for Ordering, Storing and Handling Vaccines: <https://www.gov.uk/government/publications/protocol-for-ordering-storing-and-handling-vaccines>
60. NPSA Vaccine Cold Storage NRLS January 2010 Supporting Information: <http://www.nrls.npsa.nhs.uk/alerts/?entryid45=66111>
61. WHO: Temperature sensitivity of vaccines: <http://www.who.int/vaccines-documents/DocsPDF06/847.pdf>
62. Health Protection Scotland: www.documents.hps.scot.nhs.uk/immunisation/
63. Health Protection (Notification) Regulations 2010: <http://www.legislation.gov.uk/uksi/2010/659/contents/made>
64. Notifications of infectious diseases (NOIDs) and reportable causative organisms: legal duties of laboratories and medical practitioners: <https://www.gov.uk/guidance/notifiable-diseases-and-causative-organisms-how-to-report>
65. TARGET Antibiotics Toolkit: <http://www.rcgp.org.uk/clinical-and-research/toolkits/target-antibiotics-toolkit.aspx>
66. Antimicrobial Stewardship Self-Assessment Checklist: <http://www.rcgp.org.uk/clinical-and-research/toolkits/~link.aspx?id=E1FC849D426E420E941FB9CF8E47D508&z=z>
67. PHE and DH Expert Advisory Committee on ARHAI Antimicrobial prescribing and stewardship competencies Sep 2013: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/253094/ARHAIprescrcompetencies_2_.pdf
68. PHE: AMR Local Indicators: <http://fingertips.phe.org.uk/profile/amr-local-indicators>
69. Open Prescribing: England's prescribing data: <https://openprescribing.net/>
70. NICE Guidelines on Antibiotic Stewardship: <https://www.nice.org.uk/guidance/conditions-and-diseases/infections/antibiotic-use>
71. NICE Guideline (NG63) Jan 2017: Antimicrobial stewardship: changing risk-related behaviours in the general population?: <https://www.nice.org.uk/guidance/ng63>

72. DH and DEFRA UK Five Year Antimicrobial Resistance Strategy 2013-2018:
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/244058/20130902_UK_5_year_AMR_strategy.pdf
73. Antibiotic Awareness Day: <http://ecdc.europa.eu/en/EAAD/Pages/Home.aspx/>
74. Antibiotic Guardian UK-wide campaign: <https://www.gov.uk/government/collections/european-antibiotic-awareness-day-resources>
75. DH Health building note 46: General medical practice premise: <https://www.gov.uk/government/collections/health-building-notes-core-elements>
76. NHS Primary Care Commissioning Prepare schedules of accommodation: <https://www.england.nhs.uk/wp-content/uploads/2013/03/a-functions-ccgs.pdf>
77. DH: Consulting Room: Design Manual: England (and other Design Manual documents available from <http://www.spaceforhealth.nhs.uk/articles/room-description-and-layout-consulting-room>)
78. Humphreys et al 2012. Guidelines on the facilities for minor surgical procedures and minimal access interventions. J of Hosp Inf, (80), 103-109. <http://www.aspc-uk.net/wp-content/uploads/2014/03/Facilities-for-minor-surgery.pdf>
79. Health Technical Memorandum 03-01 Part A Specialised Ventilation for Healthcare Premises. Department of Health (2007). <https://www.gov.uk/government/publications/guidance-on-specialised-ventilation-for-healthcare-premises-parts-a-and-b>
80. Health Building Notes 26 (Vol 1) 2006, Facilities for surgical procedures. <https://www.gov.uk/government/collections/health-building-notes-core-elements>

Bibliography

1. Infection Control Nurses Association and Royal College of General Practitioners (2003) Infection Control Guidance for General Practice. Infection Control Nurses Association http://www.ips.uk.net/PRD_ProductDetail.aspx?cid=9&prodid=9&Product=Infection-Control-Guidance-for-General-Practice
2. Department of Health (2006) Essential Steps to Safe, Clean Care: *Reducing healthcare-associated infections in Primary care trusts; Mental health trusts; Learning disability organisations; Independent healthcare; Care homes; Hospices; GP practices and Ambulance services. Self-Assessment Tool for General Practice* http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_4136061.pdf
3. Department of Health (2007) Clarification and Policy Summary - *Decontamination of Re-Usable Medical Devices in the Primary, Secondary and Tertiary Care Sectors (NHS and Independent providers)*, http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_074722
4. Department of Health (2010) The Health and Social Care Act 2008 - *Code of practice for the prevention and control of healthcare associated infections and related guidance* http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_122604
5. Infection Control Nurses Association (2002) Hand Decontamination Guidelines http://www.ips.uk.net/CAT_ListCategories.aspx?cid=9&pid=0&Category=Products-and-publications
6. National Patient Safety Agency (2009) National Reporting and learning Service. Revised Healthcare Cleaning Manual <http://www.nrls.npsa.nhs.uk/resources/patient-safety-topics/environment/?entryid45=61830>
7. NPSA (2010) Vaccine Cold Storage Supporting Information <http://www.nrls.npsa.nhs.uk/EasySiteWeb/getresource.axd?AssetID=66112>
8. Department of Health (2002) Infection Control in the Built Environment. London: The Stationery Office
9. Department of Health. Immunisation against Infectious Disease. Chapter 12. Immunisation of healthcare and laboratory staff. http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_063632.pdf
10. Department of Health. Immunisation against Infectious Disease. Chapter 32. Tuberculosis. http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/documents/digitalasset/dh_104934.pdf
11. Department of Health (2007) Health Clearance for tuberculosis, hepatitis B, hepatitis C and HIV: New healthcare workers http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_074981.pdf
12. World Health Organisation (2008) Guidelines on Hand Hygiene in Health Care http://whqlibdoc.who.int/publications/2009/9789241597906_eng.pdf
13. Department of Health (2003) Chickenpox (Varicella) immunisation for healthcare workers http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_4068814
14. Department of Health (2001) The provision of occupational health and safety services for general medical practitioners and their staff http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_4014874.pdf
15. Department of Health - Health and Social Care Act 2008 prevention and control of healthcare associated infections and related guidance. Guidance for compliance with Criterion9
16. Health Protection Scotland (2004) Infection Control Team, Healthcare Associated Infection & Infection Control Section (HPS - formerly Scottish Centre for Infection and Environmental Health (SCIEH)) Review of Literature. Skin disinfection prior to intradermal, subcutaneous, and intramuscular injection administration <http://www.documents.hps.scot.nhs.uk/hai/infection-control/publications/skin-disinfection-review.pdf>
17. Royal College of Nursing (2002) Position Statement on Injection Technique http://www.rcn.org.uk/_data/assets/pdf_file/0010/78535/001753.pdf
18. Department of Health (2006) Immunisation against Infectious Disease - The Green Book also Storage, Distribution and Disposal of Vaccines Chapter 3 Department of Health TSO London <http://www.dh.gov.uk/en/PublicHealth/Immunisation/Greenbook/index.htm>
19. National Patient Safety Agency (2009) The NHS Cleaning Manual
20. National Patient Safety Agency (2007) Clean Your Hands Campaign
21. Department of Health, Health building note 46: General medical practice premises
22. NHS Primary Care Commissioning Prepare schedules of accommodation.
23. Department of Health. Health Building Note 00-09 Infection Control in the Built Environment available from www.gov.uk/government/publications
24. Health Building Note 11-01: Facilities for Primary and Community Care Services Primary and Community Care. London. The Stationery Shop <https://www.gov.uk/government/publications/guidance-for-facilities-for-providing-primary-and-community-care-services>
25. Environment Agency (2011) Hazardous Waste Regulations. Waste (England and Wales) Regulations 2011 and the Waste (Miscellaneous Provisions) (Wales) 2011 Regulations. <http://www.environment-agency.gov.uk/business/topics/waste/32180.aspx>
26. Health Protection Agency (2010) *Health Protection (Local Authority Powers) Regulations 2010* (SI 2010/657) http://www.legislation.gov.uk/uksi/2010/659/pdfs/uksi_20100659_en.pdf
27. Health Protection Agency (2010) *Health Protection (Part 2A Orders) Regulations 2010* (SI 2010/658)
28. HM Government Legislation (2010) *Health Protection (Notifications) Regulations 2010* <http://www.legislation.gov.uk/uksi/2010/659/contents/made>
29. Medicines and Healthcare products Regulatory Agency (MHRA) (2010) Medical Device Directive (93/42/EEC) <http://www.mhra.gov.uk/Howweregulate/Devices/MedicalDevicesDirective/index.htm>

<http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CONSLEG:1993L0042:20071011:en:PDF>

30. MHRA Managing Medical Devices DB2006 (05) <http://www.mhra.gov.uk/home/groups/dts-bs/documents/publication/con2025143.pdf>

31. Water Supply (Water Fittings) Regulations 1999. SI 1999 No 1148. HMSO, 1999. <http://www.legislation.gov.uk/ukSI/1999/1148/contents/made>

32. Water Supply (Water Quality) Regulations 2010. SI 2010 No 994. HMSO, 2000. <http://www.legislation.gov.uk/wsi/2010/994/contents/made>

33. The Health and Social Care Act 2008: Code of Practice on the prevention and control of infections and related guidance. 2010.
http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_122604

34. British, European and International Standards BS 8558:2011. Design, installation, testing and maintenance of services supplying water for domestic use within buildings and their cartilages. Complementary guidance to BS EN 806. British Standards Institution, 2011.

35. Legionnaires' disease: A guide for duty holders Leaflet INDG458 HSE Books 2012 www.hse.gov.uk/pubns/indg458.htm

36. The control of legionella: A recommended Code of Conduct for Service Providers The Legionella Control Association 2013 www.legionellacontrol.org.uk